

Part#	Per	Pack	Description	UPC Code	Ti/Hi	Gross Weight, Lbs	Net Weight	Volume, ft 3	Length, in	Width, in	Height, in
31-7.75	CS	10	Type 31 Aqua Burnishing	71485128350	4/22 + 4/9	1.28	0.62	0.69	14.5	14.5	5.75
31-9.25	CS	5	Type 31 Aqua Burnishing	71485128367	4/22 + 4/9	1.10	0.74	0.69	14.5	14.5	5.75
31-10	CS	5	Type 31 Aqua Burnishing	71485128251	4/22 + 4/9	1.17	0.87	0.69	14.5	14.5	5.75
31-11	CS	5	Type 31 Aqua Burnishing	71485128268	4/22 + 4/9	1.29	1.00	0.69	14.5	14.5	5.75
31-12	CS	5	Type 31 Aqua Burnishing	71485119587	4/22 + 4/9	1.41	1.23	0.69	14.5	14.5	5.75
31-13	CS	5	Type 31 Aqua Burnishing	71485120682	4/22 + 4/9	1.54	1.39	0.69	14.5	14.5	5.75
31-14	CS	5	Type 31 Aqua Burnishing	71485128275	4/22 + 4/9	1.69	1.79	0.69	14.5	14.5	5.75
31-15	CS	5	Type 31 Aqua Burnishing	71485125472	3/16 + 5/4	1.91	2.01	0.9	16.5	16.5	5.75
31-16	CS	5	Type 31 Aqua Burnishing	71485125489	3/16 + 5/4	2.08	2.20	0.9	16.5	16.5	5.75
31-17	CS	5	Type 31 Aqua Burnishing	71485119594	3/14 + 4/4	2.49	2.17	1.13	18.5	18.5	5.75
31-18	CS	5	Type 31 Aqua Burnishing	71485125496	3/14 + 3/4	2.79	2.36	1.4	20.75	20.375	5.75
31-19	CS	5	Type 31 Aqua Burnishing	71485115367	3/14 + 3/4	2.99	2.58	1.4	20.75	20.375	5.75
31-20	CS	5	Type 31 Aqua Burnishing	71485115268	3/14 + 3/4	3.20	2.99	1.4	20.75	20.375	5.75
31-21	CS	5	Type 31 Aqua Burnishing	71485119938	3/14 + 3/4	3.51	3.13	1.7	22.75	22.5	5.75
31-22	CS	5	Type 31 Aqua Burnishing	71485127162	3/14 + 3/4	3.74	3.68	1.7	22.75	22.5	5.75
31-23	CS	5	Type 31 Aqua Burnishing	71485128282	10/3	4.16	1.49	2.01	24.75	24.5	5.75
31-24	CS	5	Type 31 Aqua Burnishing	71485120392	10/3	4.41	1.59	2.01	24.75	24.5	5.75
31-25	CS	5	Type 31 Aqua Burnishing	71485128299	10/3	4.67	1.71	2.01	24.75	24.5	5.75
31-26-2pk	CS	2	Type 31 Aqua Burnishing	71485128305	20 / 2 + 6	2.88	1.44	1.13	28	28	2.5
31-27-2pk	CS	2	Type 31 Aqua Burnishing	71485120347	20 / 2 + 6	3.00	1.55	1.13	28	28	2.5
31-28-2pk	CS	2	Type 31 Aqua Burnishing	71485126356	20 / 2 + 6	3.11	1.67	1.13	28	28	2.5
31-29-2pk	CS	2	Type 31 Aqua Burnishing	71485128312	20 / 2 + 6	3.23	1.79	1.13	28	28	2.5
31-30-2pk	CS	2	Type 31 Aqua Burnishing	71485128329	20 / 2 + 6	3.36	1.91	1.13	28	28	2.5
31-31-2pk	CS	2	Type 31 Aqua Burnishing	71485128336	20 / 2 + 6	3.49	2.04	1.13	28	28	2.5
31-32-2pk	CS	2	Type 31 Aqua Burnishing	71485128343	20 / 2 + 6	3.62	2.18	1.13	28	28	2.5
52-7.75	CS	10	Type 52 Blue Velvet	71485133767	4/22 + 4/9	1.26	0.62	0.69	14.5	14.5	5.75
52-9.25	CS	5	Type 52 Blue Velvet	71485133774	4/22 + 4/9	1.08	0.44	0.69	14.5	14.5	5.75
52-10	CS	5	Type 52 Blue Velvet	71485133781	4/22 + 4/9	1.16	0.51	0.69	14.5	14.5	5.75
52-11	CS	5	Type 52 Blue Velvet	71485133798	4/22 + 4/9	1.26	0.62	0.69	14.5	14.5	5.75
52-12	CS	5	Type 52 Blue Velvet	71485132975	4/22 + 4/9	1.38	0.74	0.69	14.5	14.5	5.75
52-13	CS	5	Type 52 Blue Velvet	71485132982	4/22 + 4/9	1.51	0.87	0.69	14.5	14.5	5.75
52-14	CS	5	Type 52 Blue Velvet	71485132999	4/22 + 4/9	1.65	1.00	0.69	14.5	14.5	5.75
52-15	CS	5	Type 52 Blue Velvet	71485132906	3/16 + 5/4	1.87	1.15	0.9	16.5	16.5	5.75
52-16	CS	5	Type 52 Blue Velvet	71485132913	3/16 + 5/4	2.03	1.31	0.9	16.5	16.5	5.75
52-17	CS	5	Type 52 Blue Velvet	71485132029	3/14 + 4/4	2.43	1.48	1.13	18.5	18.5	5.75
52-18	CS	5	Type 52 Blue Velvet	71485133675	3/14 + 4/4	2.73	1.66	1.4	20.75	20.375	5.75
52-19	CS	5	Type 52 Blue Velvet	71485132890	3/14 + 4/4	2.92	1.85	1.4	20.75	20.375	5.75
52-20	CS	5	Type 52 Blue Velvet	71485131510	3/14 + 4/4	3.12	2.05	1.4	20.75	20.375	5.75
52-21	CS	5	Type 52 Blue Velvet	71485131640	3/14 + 4/4	3.43	2.26	1.7	22.75	22.5	5.75

52-22	CS	5	Type 52 Blue Velvet	71485132920	3/14 + 4/4	3.65	2.48	1.7	22.75	22.5	5.75
52-23	CS	5	Type 52 Blue Velvet	71485133002	10/3	4.06	2.71	2.01	24.75	24.5	5.75
52-24	CS	5	Type 52 Blue Velvet	71485132937	10/3	4.30	2.95	2.01	24.75	24.5	5.75
52-25	CS	5	Type 52 Blue Velvet	71485132944	10/3	4.55	3.20	2.01	24.75	24.5	5.75
52-26-2pk	CS	2	Type 52 Blue Velvet	71485132951	20 / 2 + 6	2.83	1.49	1.13	28	28	2.5
52-27-2pk	CS	2	Type 52 Blue Velvet	71485131619	20 / 2 + 6	2.94	1.59	1.13	28	28	2.5
52-28-2pk	CS	2	Type 52 Blue Velvet	71485132968	20 / 2 + 6	3.05	1.71	1.13	28	28	2.5
52-29-2pk	CS	2	Type 52 Blue Velvet	71485133804	20 / 2 + 6	3.17	1.82	1.13	28	28	2.5
52-30-2pk	CS	2	Type 52 Blue Velvet	71485133811	20 / 2 + 6	3.29	1.94	1.13	28	28	2.5
52-31-2pk	CS	2	Type 52 Blue Velvet	71485133828	20 / 2 + 6	3.42	2.07	1.13	28	28	2.5
52-32-2pk	CS	2	Type 52 Blue Velvet	71485133835	20 / 2 + 6	3.54	2.20	1.13	28	28	2.5
36-7.75	CS	10	Type 36 Pink Burnishing	71485128879	4/22 + 4/9	1.33	0.68	0.69	14.5	14.5	5.75
36-9.25	CS	5	Type 36 Pink Burnishing	71485128886	4/22 + 4/9	1.13	0.49	0.69	14.5	14.5	5.75
36-10	CS	5	Type 36 Pink Burnishing	71485128732	4/22 + 4/9	1.21	0.57	0.69	14.5	14.5	5.75
36-11	CS	5	Type 36 Pink Burnishing	71485128749	4/22 + 4/9	1.33	0.69	0.69	14.5	14.5	5.75
36-12	CS	5	Type 36 Pink Burnishing	71485119624	4/22 + 4/9	1.46	0.82	0.69	14.5	14.5	5.75
36-13	CS	5	Type 36 Pink Burnishing	71485128756	4/22 + 4/9	1.61	0.96	0.69	14.5	14.5	5.75
36-14	CS	5	Type 36 Pink Burnishing	71485128763	4/22 + 4/9	1.76	1.12	0.69	14.5	14.5	5.75
36-15	CS	5	Type 36 Pink Burnishing	71485128770	3/16 + 5/4	2.00	1.28	0.9	16.5	16.5	5.75
36-16	CS	5	Type 36 Pink Burnishing	71485127155	3/16 + 5/4	2.18	1.46	0.9	16.5	16.5	5.75
36-17	CS	5	Type 36 Pink Burnishing	71485108574	3/14 + 4/4	2.60	1.65	1.13	18.5	18.5	5.75
36-18	CS	5	Type 36 Pink Burnishing	71485128787	3/14 + 4/4	2.92	1.85	1.4	20.75	20.375	5.75
36-19	CS	5	Type 36 Pink Burnishing	71485108598	3/14 + 4/4	3.13	2.06	1.4	20.75	20.375	5.75
36-20	CS	5	Type 36 Pink Burnishing	71485108604	3/14 + 4/4	3.35	2.28	1.4	20.75	20.375	5.75
36-21	CS	5	Type 36 Pink Burnishing	71485120934	3/14 + 4/4	3.68	2.51	1.7	22.75	22.5	5.75
36-22	CS	5	Type 36 Pink Burnishing	71485127209	3/14 + 4/4	3.93	2.76	1.7	22.75	22.5	5.75
36-23	CS	5	Type 36 Pink Burnishing	71485128794	10/3	4.36	3.01	2.01	24.75	24.5	5.75
36-24	CS	5	Type 36 Pink Burnishing	71485120408	10/3	4.63	3.28	2.01	24.75	24.5	5.75
36-25	CS	5	Type 36 Pink Burnishing	71485128800	10/3	4.91	3.56	2.01	24.75	24.5	5.75
36-26-2pk	CS	2	Type 36 Pink Burnishing	71485128817	20 / 2 + 6	2.99	1.54	1.13	28	28	2.5
36-27-2pk	CS	2	Type 36 Pink Burnishing	71485119914	20 / 2 + 6	3.11	1.66	1.13	28	28	2.5
36-28-2pk	CS	2	Type 36 Pink Burnishing	71485128824	20 / 2 + 6	3.23	1.79	1.13	28	28	2.5
36-29-2pk	CS	2	Type 36 Pink Burnishing	71485128831	20 / 2 + 6	3.36	1.92	1.13	28	28	2.5
36-30-2pk	CS	2	Type 36 Pink Burnishing	71485128848	20 / 2 + 6	3.50	2.05	1.13	28	28	2.5
36-31-2pk	CS	2	Type 36 Pink Burnishing	71485128855	20 / 2 + 6	3.63	2.19	1.13	28	28	2.5
36-32-2pk	CS	2	Type 36 Pink Burnishing	71485128862	20 / 2 + 6	3.78	2.33	1.13	28	28	2.5
42-7.75	CS	10	Type 42 Beige Poly Thermal	71485129166	4/22 + 4/9	1.26	0.62	0.69	14.5	14.5	5.75
42-9.25	CS	5	Type 42 Beige Poly Thermal	71485129173	4/22 + 4/9	1.08	0.44	0.69	14.5	14.5	5.75
42-10	CS	5	Type 42 Beige Poly Thermal	71485129074	4/22 + 4/9	1.16	0.51	0.69	14.5	14.5	5.75
42-11	CS	5	Type 42 Beige Poly Thermal	71485129081	4/22 + 4/9	1.26	0.62	0.69	14.5	14.5	5.75

42-12	CS	5	Type 42 Beige Poly Thermal	71485119693	4/22 + 4/9	1.38	0.74	0.69	14.5	14.5	5.75
42-13	CS	5	Type 42 Beige Poly Thermal	71485125793	4/22 + 4/9	1.51	0.87	0.69	14.5	14.5	5.75
42-14	CS	5	Type 42 Beige Poly Thermal	71485125809	4/22 + 4/9	1.65	1.00	0.69	14.5	14.5	5.75
42-15	CS	5	Type 42 Beige Poly Thermal	71485125816	3/16 + 5/4	1.87	1.15	0.9	16.5	16.5	5.75
42-16	CS	5	Type 42 Beige Poly Thermal	71485125823	3/16 + 5/4	2.03	1.31	0.9	16.5	16.5	5.75
42-17	CS	5	Type 42 Beige Poly Thermal	71485108970	3/14 + 4/4	2.43	1.48	1.13	18.5	18.5	5.75
42-18	CS	5	Type 42 Beige Poly Thermal	71485125830	3/14 + 4/4	2.73	1.66	1.4	20.75	20.375	5.75
42-19	CS	5	Type 42 Beige Poly Thermal	71485108994	3/14 + 4/4	2.92	1.85	1.4	20.75	20.375	5.75
42-20	CS	5	Type 42 Beige Poly Thermal	71485109007	3/14 + 4/4	3.12	2.05	1.4	20.75	20.375	5.75
42-21	CS	5	Type 42 Beige Poly Thermal	71485120880	3/14 + 4/4	3.43	2.26	1.7	22.75	22.5	5.75
42-22	CS	5	Type 42 Beige Poly Thermal	71485127223	3/14 + 4/4	3.65	2.48	1.7	22.75	22.5	5.75
42-23	CS	5	Type 42 Beige Poly Thermal	71485129098	10/3	4.06	2.71	2.01	24.75	24.5	5.75
42-24	CS	5	Type 42 Beige Poly Thermal	71485120859	10/3	4.30	2.95	2.01	24.75	24.5	5.75
42-25	CS	5	Type 42 Beige Poly Thermal	71485129104	10/3	4.55	3.20	2.01	24.75	24.5	5.75
42-26-2pk	CS	2	Type 42 Beige Poly Thermal	71485129111	20 / 2 + 6	2.83	1.39	1.13	28	28	2.5
42-27-2pk	CS	2	Type 42 Beige Poly Thermal	71485120606	20 / 2 + 6	2.94	1.49	1.13	28	28	2.5
42-28-2pk	CS	2	Type 42 Beige Poly Thermal	71485126318	20 / 2 + 6	3.05	1.61	1.13	28	28	2.5
42-29-2pk	CS	2	Type 42 Beige Poly Thermal	71485129128	20 / 2 + 6	3.17	1.72	1.13	28	28	2.5
42-30-2pk	CS	2	Type 42 Beige Poly Thermal	71485129135	20 / 2 + 6	3.29	1.85	1.13	28	28	2.5
42-31-2pk	CS	2	Type 42 Beige Poly Thermal	71485129142	20 / 2 + 6	3.42	1.97	1.13	28	28	2.5
42-32-2pk	CS	2	Type 42 Beige Poly Thermal	71485129159	20 / 2 + 6	3.54	2.10	1.13	28	28	2.5
33-7.75	CS	10	Type 33 Hair Blend Light	71485128466	4/22 + 4/9	1.17	0.52	0.69	14.5	14.5	5.75
33-9.25	CS	5	Type 33 Hair Blend Light	71485128473	4/22 + 4/9	1.02	0.37	0.69	14.5	14.5	5.75
33-10	CS	5	Type 33 Hair Blend Light	71485128374	4/22 + 4/9	1.08	0.44	0.69	14.5	14.5	5.75
33-11	CS	5	Type 33 Hair Blend Light	71485128381	4/22 + 4/9	1.17	0.53	0.69	14.5	14.5	5.75
33-12	CS	5	Type 33 Hair Blend Light	71485116425	4/22 + 4/9	1.27	0.63	0.69	14.5	14.5	5.75
33-13	CS	5	Type 33 Hair Blend Light	71485125502	4/22 + 4/9	1.38	0.74	0.69	14.5	14.5	5.75
33-14	CS	5	Type 33 Hair Blend Light	71485125519	4/22 + 4/9	1.50	0.86	0.69	14.5	14.5	5.75
33-15	CS	5	Type 33 Hair Blend Light	71485125526	3/16 + 5/4	1.70	0.98	0.9	16.5	16.5	5.75
33-16	CS	5	Type 33 Hair Blend Light	71485125533	3/16 + 5/4	1.84	1.12	0.9	16.5	16.5	5.75
33-17	CS	5	Type 33 Hair Blend Light	71485107973	3/14 + 4/4	2.21	1.26	1.13	18.5	18.5	5.75
33-18	CS	5	Type 33 Hair Blend Light	71485123706	3/14 + 4/4	2.49	1.41	1.4	20.75	20.375	5.75
33-19	CS	5	Type 33 Hair Blend Light	71485107997	3/14 + 4/4	2.65	1.58	1.4	20.75	20.375	5.75
33-20	CS	5	Type 33 Hair Blend Light	71485108000	3/14 + 4/4	2.82	1.75	1.4	20.75	20.375	5.75
33-21	CS	5	Type 33 Hair Blend Light	71485108017	3/14 + 4/4	3.10	1.93	1.7	22.75	22.5	5.75
33-22	CS	5	Type 33 Hair Blend Light	71485127179	3/14 + 4/4	3.28	2.11	1.7	22.75	22.5	5.75
33-23	CS	5	Type 33 Hair Blend Light	71485128411	10/3	3.66	2.31	2.01	24.75	24.5	5.75
33-24	CS	5	Type 33 Hair Blend Light	71485108048	10/3	3.86	2.52	2.01	24.75	24.5	5.75
33-25	CS	5	Type 33 Hair Blend Light	71485128398	10/3	4.07	2.73	2.01	24.75	24.5	5.75
33-26-2pk	CS	2	Type 33 Hair Blend Light	71485128404	20 / 2 + 6	2.63	1.18	1.13	28	28	2.5
33-27-2pk	CS	2	Type 33 Hair Blend Light	71485119907	20 / 2 + 6	2.72	1.27	1.13	28	28	2.5

33-28-2pk	CS	2	Type 33 Hair Blend Light	71485126363	20 / 2 + 6	2.81	1.37	1.13	28	28	2.5
33-29-2pk	CS	2	Type 33 Hair Blend Light	71485128428	20 / 2 + 6	2.91	1.47	1.13	28	28	2.5
33-30-2pk	CS	2	Type 33 Hair Blend Light	71485128435	20 / 2 + 6	3.02	1.57	1.13	28	28	2.5
33-31-2pk	CS	2	Type 33 Hair Blend Light	71485128442	20 / 2 + 6	3.12	1.68	1.13	28	28	2.5
33-32-2pk	CS	2	Type 33 Hair Blend Light	71485128459	20 / 2 + 6	3.23	1.79	1.13	28	28	2.5
35-7.75	CS	10	Type 35 Hair Blend Medium	71485128718	4/22 + 4/9	1.30	0.661	0.69	14.5	14.5	5.75
35-9.25	CS	5	Type 35 Hair Blend Medium	71485128725	4/22 + 4/9	1.11	0.471	0.69	14.5	14.5	5.75
35-10	CS	5	Type 35 Hair Blend Medium	71485128602	4/22 + 4/9	1.19	0.551	0.69	14.5	14.5	5.75
35-11	CS	5	Type 35 Hair Blend Medium	71485128619	4/22 + 4/9	1.31	0.666	0.69	14.5	14.5	5.75
35-12	CS	5	Type 35 Hair Blend Medium	71485116432	4/22 + 4/9	1.44	0.793	0.69	14.5	14.5	5.75
35-13	CS	5	Type 35 Hair Blend Medium	71485120415	4/22 + 4/9	1.57	0.930	0.69	14.5	14.5	5.75
35-14	CS	5	Type 35 Hair Blend Medium	71485125588	4/22 + 4/9	1.72	1.079	0.69	14.5	14.5	5.75
35-15	CS	5	Type 35 Hair Blend Medium	71485125595	3/16 + 5/4	1.96	1.239	0.9	16.5	16.5	5.75
35-16	CS	5	Type 35 Hair Blend Medium	71485120422	3/16 + 5/4	2.13	1.409	0.9	16.5	16.5	5.75
35-17	CS	5	Type 35 Hair Blend Medium	71485108376	3/14 + 4/4	2.54	1.591	1.13	18.5	18.5	5.75
35-18	CS	5	Type 35 Hair Blend Medium	71485120729	3/14 + 4/4	2.85	1.784	1.4	20.75	20.375	5.75
35-19	CS	5	Type 35 Hair Blend Medium	71485108390	3/14 + 4/4	3.06	1.988	1.4	20.75	20.375	5.75
35-20	CS	5	Type 35 Hair Blend Medium	71485111338	3/14 + 4/4	3.27	2.202	1.4	20.75	20.375	5.75
35-21	CS	5	Type 35 Hair Blend Medium	71485120736	3/14 + 4/4	3.60	2.428	1.7	22.75	22.5	5.75
35-22	CS	5	Type 35 Hair Blend Medium	71485127193	3/14 + 4/4	3.83	2.665	1.7	22.75	22.5	5.75
35-23	CS	5	Type 35 Hair Blend Medium	71485128626	10/3	4.26	2.913	2.01	24.75	24.5	5.75
35-24	CS	5	Type 35 Hair Blend Medium	71485120576	10/3	4.52	3.171	2.01	24.75	24.5	5.75
35-25	CS	5	Type 35 Hair Blend Medium	71485128640	10/3	4.79	3.441	2.01	24.75	24.5	5.75
35-26-2pk	CS	2	Type 35 Hair Blend Medium	71485128657	20 / 2 + 6	2.93	1.489	1.13	28	28	2.5
35-27-2pk	CS	2	Type 35 Hair Blend Medium	71485120583	20 / 2 + 6	3.05	1.605	1.13	28	28	2.5
35-28-2pk	CS	2	Type 35 Hair Blend Medium	71485121221	20 / 2 + 6	3.17	1.727	1.13	28	28	2.5
38-29-2pk	CS	2	Type 35 Hair Blend Medium	71485128671	20 / 2 + 6	3.30	1.852	1.13	28	28	2.5
35-30-2pk	CS	2	Type 35 Hair Blend Medium	71485128688	20 / 2 + 6	3.43	1.982	1.13	28	28	2.5
35-31-2pk	CS	2	Type 35 Hair Blend Medium	71485128695	20 / 2 + 6	3.56	2.116	1.13	28	28	2.5
35-32-2pk	CS	2	Type 35 Hair Blend Medium	71485128701	20 / 2 + 6	3.70	2.255	1.13	28	28	2.5
37-7.75	CS	10	Type 37 Hair Blend Heavy	71485127803	4/22 + 4/9	1.38	0.74	0.69	14.5	14.5	5.75
37-9.25	CS	5	Type 37 Hair Blend Heavy	71485128961	4/22 + 4/9	1.17	0.53	0.69	14.5	14.5	5.75
37-10	CS	5	Type 37 Hair Blend Heavy	71485125700	4/22 + 4/9	1.26	0.62	0.69	14.5	14.5	5.75
37-11	CS	5	Type 37 Hair Blend Heavy	71485125717	4/22 + 4/9	1.39	0.75	0.69	14.5	14.5	5.75
37-12	CS	5	Type 37 Hair Blend Heavy	71485125724	4/22 + 4/9	1.53	0.89	0.69	14.5	14.5	5.75
37-13	CS	5	Type 37 Hair Blend Heavy	71485125731	4/22 + 4/9	1.69	1.04	0.69	14.5	14.5	5.75
37-14	CS	5	Type 37 Hair Blend Heavy	71485125748	4/22 + 4/9	1.85	1.21	0.69	14.5	14.5	5.75
37-15	CS	5	Type 37 Hair Blend Heavy	71485125755	3/16 + 5/4	2.11	1.39	0.9	16.5	16.5	5.75
37-16	CS	5	Type 37 Hair Blend Heavy	71485125762	3/16 + 5/4	2.30	1.58	0.9	16.5	16.5	5.75
37-17	CS	5	Type 37 Hair Blend Heavy	71485125779	3/14 + 4/4	2.73	1.78	1.13	18.5	18.5	5.75

37-18	CS	5	Type 37 Hair Blend Heavy	71485125786	3/14 + 4/4	3.07	2.00	1.4	20.75	20.375	5.75
37-19	CS	5	Type 37 Hair Blend Heavy	71485121320	3/14 + 4/4	3.30	2.23	1.4	20.75	20.375	5.75
37-20	CS	5	Type 37 Hair Blend Heavy	71485121313	3/14 + 4/4	3.54	2.47	1.4	20.75	20.375	5.75
37-21	CS	5	Type 37 Hair Blend Heavy	71485125212	3/14 + 4/4	3.89	2.72	1.7	22.75	22.5	5.75
37-22	CS	5	Type 37 Hair Blend Heavy	71485127216	3/14 + 4/4	4.16	2.99	1.7	22.75	22.5	5.75
37-23	CS	5	Type 37 Hair Blend Heavy	71485128893	10/3	4.61	3.26	2.01	24.75	24.5	5.75
37-24	CS	5	Type 37 Hair Blend Heavy	71485121337	10/3	4.90	3.55	2.01	24.75	24.5	5.75
37-25	CS	5	Type 37 Hair Blend Heavy	71485128909	10/3	5.20	3.86	2.01	24.75	24.5	5.75
37-26-2pk	CS	2	Type 37 Hair Blend Heavy	71485128916	20 / 2 + 6	3.11	1.67	1.13	28	28	2.5
37-27-2pk	CS	2	Type 37 Hair Blend Heavy	71485121344	20 / 2 + 6	3.24	1.80	1.13	28	28	2.5
37-28-2pk	CS	2	Type 37 Hair Blend Heavy	71485126189	20 / 2 + 6	3.38	1.93	1.13	28	28	2.5
37-29-2pk	CS	2	Type 37 Hair Blend Heavy	71485128923	20 / 2 + 6	3.52	2.08	1.13	28	28	2.5
37-30-2pk	CS	2	Type 37 Hair Blend Heavy	71485128930	20 / 2 + 6	3.67	2.22	1.13	28	28	2.5
37-31-2pk	CS	2	Type 37 Hair Blend Heavy	71485128947	20 / 2 + 6	3.82	2.37	1.13	28	28	2.5
37-32-2pk	CS	2	Type 37 Hair Blend Heavy	71485128954	20 / 2 + 6	3.97	2.53	1.13	28	28	2.5
34-7.75	CS	10	Type 34 Tan Buffer	71485128589	4/22 + 4/9	1.39	0.75	0.69	14.5	14.5	5.75
34-9.25	CS	5	Type 34 Tan Buffer	71485128596	4/22 + 4/9	1.17	0.53	0.69	14.5	14.5	5.75
34-10	CS	5	Type 34 Tan Buffer	71485128480	4/22 + 4/9	1.26	0.62	0.69	14.5	14.5	5.75
34-11	CS	5	Type 34 Tan Buffer	71485128497	4/22 + 4/9	1.39	0.75	0.69	14.5	14.5	5.75
34-12	CS	5	Type 34 Tan Buffer	71485119617	4/22 + 4/9	1.54	0.89	0.69	14.5	14.5	5.75
34-13	CS	5	Type 34 Tan Buffer	71485120330	4/22 + 4/9	1.69	1.05	0.69	14.5	14.5	5.75
34-14	CS	5	Type 34 Tan Buffer	71485125540	4/22 + 4/9	1.86	1.22	0.69	14.5	14.5	5.75
34-15	CS	5	Type 34 Tan Buffer	71485120873	3/16 + 5/4	2.11	1.40	0.9	16.5	16.5	5.75
34-16	CS	5	Type 34 Tan Buffer	71485125557	3/16 + 5/4	2.31	1.59	0.9	16.5	16.5	5.75
34-17	CS	5	Type 34 Tan Buffer	71485108178	3/14 + 4/4	2.74	1.79	1.13	18.5	18.5	5.75
34-18	CS	5	Type 34 Tan Buffer	71485121382	3/14 + 4/4	3.08	2.01	1.4	20.75	20.375	5.75
34-19	CS	5	Type 34 Tan Buffer	71485111420	3/14 + 4/4	3.31	2.24	1.4	20.75	20.375	5.75
34-20	CS	5	Type 34 Tan Buffer	71485111529	3/14 + 4/4	3.55	2.48	1.4	20.75	20.375	5.75
34-21	CS	5	Type 34 Tan Buffer	71485125564	3/14 + 4/4	3.91	2.74	1.7	22.75	22.5	5.75
34-22	CS	5	Type 34 Tan Buffer	71485127186	3/14 + 4/4	4.17	3.00	1.7	22.75	22.5	5.75
34-23	CS	5	Type 34 Tan Buffer	71485128503	10/3	4.63	3.28	2.01	24.75	24.5	5.75
34-24	CS	5	Type 34 Tan Buffer	71485120804	10/3	4.92	3.58	2.01	24.75	24.5	5.75
34-25	CS	5	Type 34 Tan Buffer	71485128510	10/3	5.23	3.88	2.01	24.75	24.5	5.75
34-26-2pk	CS	2	Type 34 Tan Buffer	71485128527	20 / 2 + 6	3.12	1.68	1.13	28	28	2.5
34-27-2pk	CS	2	Type 34 Tan Buffer	71485125571	20 / 2 + 6	3.26	1.81	1.13	28	28	2.5
34-28-2pk	CS	2	Type 34 Tan Buffer	71485128534	20 / 2 + 6	3.39	1.95	1.13	28	28	2.5
34-29-2pk	CS	2	Type 34 Tan Buffer	71485128541	20 / 2 + 6	3.53	2.09	1.13	28	28	2.5
34-30-2pk	CS	2	Type 34 Tan Buffer	71485128558	20 / 2 + 6	3.68	2.23	1.13	28	28	2.5
34-31-2pk	CS	2	Type 34 Tan Buffer	71485128565	20 / 2 + 6	3.83	2.39	1.13	28	28	2.5
41-7.75	CS	10	Type 41 White Polishing	71485129050	4/22 + 4/9	1.21	0.56	0.69	14.5	14.5	5.75

41-9.25	CS	5	Type 41 White Polishing	71485129067	4/22 + 4/9	1.05	0.40	0.69	14.5	14.5	5.75
41-10	CS	5	Type 41 White Polishing	71485128978	4/22 + 4/9	1.11	0.47	0.69	14.5	14.5	5.75
41-11	CS	5	Type 41 White Polishing	71485119631	4/22 + 4/9	1.21	0.57	0.69	14.5	14.5	5.75
41-12	CS	5	Type 41 White Polishing	71485119648	4/22 + 4/9	1.32	0.68	0.69	14.5	14.5	5.75
41-13	CS	5	Type 41 White Polishing	71485119655	4/22 + 4/9	1.44	0.79	0.69	14.5	14.5	5.75
41-14	CS	5	Type 41 White Polishing	71485119945	4/22 + 4/9	1.56	0.92	0.69	14.5	14.5	5.75
41-15	CS	5	Type 41 White Polishing	71485119662	3/16 + 5/4	1.78	1.06	0.9	16.5	16.5	5.75
41-16	CS	5	Type 41 White Polishing	71485108765	3/16 + 5/4	1.92	1.20	0.9	16.5	16.5	5.75
41-17	CS	5	Type 41 White Polishing	71485108772	3/14 + 4/4	2.31	1.36	1.13	18.5	18.5	5.75
41-18	CS	5	Type 41 White Polishing	71485119686	3/14 + 4/4	2.59	1.52	1.4	20.75	20.375	5.75
41-19	CS	5	Type 41 White Polishing	71485108796	3/14 + 4/4	2.77	1.70	1.4	20.75	20.375	5.75
41-20	CS	5	Type 41 White Polishing	71485108802	3/14 + 4/4	2.95	1.88	1.4	20.75	20.375	5.75
41-21	CS	5	Type 41 White Polishing	71485119860	3/14 + 4/4	3.24	2.07	1.7	22.75	22.5	5.75
41-22	CS	5	Type 41 White Polishing	71485120385	3/14 + 4/4	3.44	2.27	1.7	22.75	22.5	5.75
41-23	CS	5	Type 41 White Polishing	71485126981	10/3	3.83	2.49	2.01	24.75	24.5	5.75
41-24	CS	5	Type 41 White Polishing	71485108840	10/3	4.05	2.71	2.01	24.75	24.5	5.75
41-25	CS	5	Type 41 White Polishing	71485128985	10/3	4.28	2.94	2.01	24.75	24.5	5.75
41-26-2pk	CS	2	Type 41 White Polishing	71485128992	20 / 2 + 6	2.72	1.27	1.13	28	28	2.5
41-27-2pk	CS	2	Type 41 White Polishing	71485119891	20 / 2 + 6	2.82	1.37	1.13	28	28	2.5
41-28-2pk	CS	2	Type 41 White Polishing	71485129005	20 / 2 + 6	2.92	1.47	1.13	28	28	2.5
41-29-2pk	CS	2	Type 41 White Polishing	71485129012	20 / 2 + 6	3.03	1.58	1.13	28	28	2.5
41-30-2pk	CS	2	Type 41 White Polishing	71485129029	20 / 2 + 6	3.14	1.69	1.13	28	28	2.5
41-31-2pk	CS	2	Type 41 White Polishing	71485129036	20 / 2 + 6	3.25	1.81	1.13	28	28	2.5
41-32-2pk	CS	2	Type 41 White Polishing	71485129043	20 / 2 + 6	3.37	1.92	1.13	28	28	2.5
51-7.75	CS	10	Type 51 Red Buffing	71485129265	4/22 + 4/9	1.33	0.68	0.69	14.5	14.5	5.75
51-9.25	CS	5	Type 51 Red Buffing	71485129272	4/22 + 4/9	1.13	0.49	0.69	14.5	14.5	5.75
51-10	CS	5	Type 51 Red Buffing	71485123447	4/22 + 4/9	1.21	0.57	0.69	14.5	14.5	5.75
51-11	CS	5	Type 51 Red Buffing	71485120538	4/22 + 4/9	1.33	0.69	0.69	14.5	14.5	5.75
51-12	CS	5	Type 51 Red Buffing	71485119716	4/22 + 4/9	1.46	0.82	0.69	14.5	14.5	5.75
51-13	CS	5	Type 51 Red Buffing	71485115374	4/22 + 4/9	1.61	0.96	0.69	14.5	14.5	5.75
51-14	CS	5	Type 51 Red Buffing	71485119723	4/22 + 4/9	1.76	1.12	0.69	14.5	14.5	5.75
51-15	CS	5	Type 51 Red Buffing	71485119730	3/16 + 5/4	2.00	1.28	0.9	16.5	16.5	5.75
51-16	CS	5	Type 51 Red Buffing	71485120262	3/16 + 5/4	2.18	1.46	0.9	16.5	16.5	5.75
51-17	CS	5	Type 51 Red Buffing	71485109373	3/14 + 4/4	2.60	1.65	1.13	18.5	18.5	5.75
51-18	CS	5	Type 51 Red Buffing	71485111512	3/14 + 4/4	2.92	1.85	1.4	20.75	20.375	5.75
51-19	CS	5	Type 51 Red Buffing	71485109397	3/14 + 4/4	3.13	2.06	1.4	20.75	20.375	5.75
51-20	CS	5	Type 51 Red Buffing	71485109403	3/14 + 4/4	3.35	2.28	1.4	20.75	20.375	5.75
51-21	CS	5	Type 51 Red Buffing	71485109410	3/14 + 4/4	3.68	2.51	1.7	22.75	22.5	5.75
51-22	CS	5	Type 51 Red Buffing	71485127230	3/14 + 4/4	3.93	2.76	1.7	22.75	22.5	5.75
51-23	CS	5	Type 51 Red Buffing	71485129180	10/3	4.36	3.01	2.01	24.75	24.5	5.75
51-24	CS	5	Type 51 Red Buffing	71485125083	10/3	4.63	3.28	2.01	24.75	24.5	5.75

51-25	CS	5	Type 51 Red Buffing	71485129197	10/3	4.91	3.56	2.01	24.75	24.5	5.75
51-26-2pk	CS	2	Type 51 Red Buffing	71485129203	20 / 2 + 6	2.99	1.54	1.13	28	28	2.5
51-27-2pk	CS	2	Type 51 Red Buffing	71485125601	20 / 2 + 6	3.11	1.66	1.13	28	28	2.5
51-28-2pk	CS	2	Type 51 Red Buffing	71485129210	20 / 2 + 6	3.23	1.79	1.13	28	28	2.5
51-29-2pk	CS	2	Type 51 Red Buffing	71485129227	20 / 2 + 6	3.36	1.92	1.13	28	28	2.5
51-30-2pk	CS	2	Type 51 Red Buffing	71485129234	20 / 2 + 6	3.50	2.05	1.13	28	28	2.5
51-31-2pk	CS	2	Type 51 Red Buffing	71485129241	20 / 2 + 6	3.63	2.19	1.13	28	28	2.5
51-32-2pk	CS	2	Type 51 Red Buffing	71485129258	20 / 2 + 6	3.78	2.33	1.13	28	28	2.5
53-7.75	CS	10	Type 53 Blue Cleaner	71485129357	4/22 + 4/9	1.35	0.71	0.69	14.5	14.5	5.75
53-9.25	CS	5	Type 53 Blue Cleaner	71485129364	4/22 + 4/9	1.15	0.50	0.69	14.5	14.5	5.75
53-10	CS	5	Type 53 Blue Cleaner	71485123454	4/22 + 4/9	1.23	0.59	0.69	14.5	14.5	5.75
53-11	CS	5	Type 53 Blue Cleaner	71485120545	4/22 + 4/9	1.36	0.71	0.69	14.5	14.5	5.75
53-12	CS	5	Type 53 Blue Cleaner	71485119747	4/22 + 4/9	1.49	0.85	0.69	14.5	14.5	5.75
53-13	CS	5	Type 53 Blue Cleaner	71485115381	4/22 + 4/9	1.64	0.99	0.69	14.5	14.5	5.75
53-14	CS	5	Type 53 Blue Cleaner	71485121436	4/22 + 4/9	1.80	1.15	0.69	14.5	14.5	5.75
53-15	CS	5	Type 53 Blue Cleaner	71485120866	3/16 + 5/4	2.04	1.32	0.9	16.5	16.5	5.75
53-16	CS	5	Type 53 Blue Cleaner	71485109564	3/16 + 5/4	2.22	1.51	0.9	16.5	16.5	5.75
53-17	CS	5	Type 53 Blue Cleaner	71485109571	3/14 + 4/4	2.65	1.70	1.13	18.5	18.5	5.75
53-18	CS	5	Type 53 Blue Cleaner	71485125847	3/14 + 4/4	2.98	1.91	1.4	20.75	20.375	5.75
53-19	CS	5	Type 53 Blue Cleaner	71485109595	3/14 + 4/4	3.20	2.12	1.4	20.75	20.375	5.75
53-20	CS	5	Type 53 Blue Cleaner	71485109601	3/14 + 4/4	3.42	2.35	1.4	20.75	20.375	5.75
53-21	CS	5	Type 53 Blue Cleaner	71485125618	3/14 + 4/4	3.77	2.60	1.7	22.75	22.5	5.75
53-22	CS	5	Type 53 Blue Cleaner	71485127247	3/14 + 4/4	4.02	2.85	1.7	22.75	22.5	5.75
53-23	CS	5	Type 53 Blue Cleaner	71485129289	10/3	4.46	3.11	2.01	24.75	24.5	5.75
53-24	CS	5	Type 53 Blue Cleaner	71485125854	10/3	4.74	3.39	2.01	24.75	24.5	5.75
53-25	CS	5	Type 53 Blue Cleaner	71485129296	10/3	5.02	3.68	2.01	24.75	24.5	5.75
53-26-2pk	CS	2	Type 53 Blue Cleaner	71485129302	20 / 2 + 6	3.04	1.59	1.13	28	28	2.5
53-27-2pk	CS	2	Type 53 Blue Cleaner	71485125625	20 / 2 + 6	3.16	1.72	1.13	28	28	2.5
53-28-2pk	CS	2	Type 53 Blue Cleaner	71485133750	20 / 2 + 6	3.29	1.85	1.13	28	28	2.5
53-29-2pk	CS	2	Type 53 Blue Cleaner	71485129319	20 / 2 + 6	3.42	1.98	1.13	28	28	2.5
53-30-2pk	CS	2	Type 53 Blue Cleaner	71485129326	20 / 2 + 6	3.56	2.12	1.13	28	28	2.5
53-31-2pk	CS	2	Type 53 Blue Cleaner	71485129333	20 / 2 + 6	3.71	2.26	1.13	28	28	2.5
53-32-2pk	CS	2	Type 53 Blue Cleaner	71485129340	20 / 2 + 6		-1.44				
55-7.75	CS	10	Type 55 Green Scrubber	71485129463	4/22 + 4/9	1.69	1.045	0.69	14.5	14.5	5.75
55-9.25	CS	5	Type 55 Green Scrubber	71485129470	4/22 + 4/9	1.39	0.745	0.69	14.5	14.5	5.75
55-10	CS	5	Type 55 Green Scrubber	71485123461	4/22 + 4/9	1.51	0.870	0.69	14.5	14.5	5.75
55-11	CS	5	Type 55 Green Scrubber	71485129371	4/22 + 4/9	1.70	1.053	0.69	14.5	14.5	5.75
55-12	CS	5	Type 55 Green Scrubber	71485119754	4/22 + 4/9	1.90	1.253	0.69	14.5	14.5	5.75
55-13	CS	5	Type 55 Green Scrubber	71485119761	4/22 + 4/9	2.11	1.471	0.69	14.5	14.5	5.75
55-14	CS	5	Type 55 Green Scrubber	71485120644	4/22 + 4/9	2.35	1.706	0.69	14.5	14.5	5.75

55-15	CS	5	Type 55 Green Scrubber	71485123430	3/16 + 5/4	2.68	1.958	0.9	16.5	16.5	5.75
55-16	CS	5	Type 55 Green Scrubber	71485121399	3/16 + 5/4	2.95	2.228	0.9	16.5	16.5	5.75
55-17	CS	5	Type 55 Green Scrubber	71485119778	3/14 + 4/4	3.46	2.515	1.13	18.5	18.5	5.75
55-18	CS	5	Type 55 Green Scrubber	71485123416	3/14 + 4/4	3.89	2.820	1.4	20.75	20.375	5.75
55-19	CS	5	Type 55 Green Scrubber	71485111321	3/14 + 4/4	4.21	3.142	1.4	20.75	20.375	5.75
55-20	CS	5	Type 55 Green Scrubber	71485116111	3/14 + 4/4	4.55	3.481	1.4	20.75	20.375	5.75
55-21	CS	5	Type 55 Green Scrubber	71485125861	3/14 + 4/4	5.01	3.838	1.7	22.75	22.5	5.75
55-22	CS	5	Type 55 Green Scrubber	71485127254	3/14 + 4/4	5.38	4.212	1.7	22.75	22.5	5.75
55-23	CS	5	Type 55 Green Scrubber	71485129388	10/3	5.95	4.604	2.01	24.75	24.5	5.75
55-24	CS	5	Type 55 Green Scrubber	71485125632	10/3	6.36	5.013	2.01	24.75	24.5	5.75
55-25	CS	5	Type 55 Green Scrubber	71485129395	10/3	6.79	5.439	2.01	24.75	24.5	5.75
55-26-2pk	CS	2	Type 55 Green Scrubber	71485129401	20 / 2 + 6	3.80	2.353	1.13	28	28	2.5
55-27-2pk	CS	2	Type 55 Green Scrubber	71485125878	20 / 2 + 6	3.98	2.538	1.13	28	28	2.5
55-28-2pk	CS	2	Type 55 Green Scrubber	71485129418	20 / 2 + 6	4.17	2.729	1.13	28	28	2.5
55-29-2pk	CS	2	Type 55 Green Scrubber	71485129425	20 / 2 + 6	4.37	2.928	1.13	28	28	2.5
55-30-2pk	CS	2	Type 55 Green Scrubber	71485129432	20 / 2 + 6	4.58	3.133	1.13	28	28	2.5
55-31-2pk	CS	2	Type 55 Green Scrubber	71485129449	20 / 2 + 6	4.79	3.345	1.13	28	28	2.5
71-7.75	CS	10	Type 71 Brown Strip	71485129586	4/22 + 4/9	1.84	1.20	0.69	14.5	14.5	5.75
71-9.25	CS	5	Type 71 Brown Strip	71485129593	4/22 + 4/9	1.50	0.85	0.69	14.5	14.5	5.75
71-10	CS	5	Type 71 Brown Strip	71485129487	4/22 + 4/9	1.64	1.00	0.69	14.5	14.5	5.75
71-11	CS	5	Type 71 Brown Strip	71485129494	4/22 + 4/9	1.85	1.21	0.69	14.5	14.5	5.75
71-12	CS	5	Type 71 Brown Strip	71485119785	4/22 + 4/9	2.08	1.44	0.69	14.5	14.5	5.75
71-13	CS	5	Type 71 Brown Strip	71485125649	4/22 + 4/9	2.33	1.68	0.69	14.5	14.5	5.75
71-14	CS	5	Type 71 Brown Strip	71485125885	4/22 + 4/9	2.60	1.95	0.69	14.5	14.5	5.75
71-15	CS	5	Type 71 Brown Strip	71485125656	3/16 + 5/4	2.96	2.24	0.9	16.5	16.5	5.75
71-16	CS	5	Type 71 Brown Strip	71485125892	3/16 + 5/4	3.27	2.55	0.9	16.5	16.5	5.75
71-17	CS	5	Type 71 Brown Strip	71485109779	3/14 + 4/4	3.83	2.88	1.13	18.5	18.5	5.75
71-18	CS	5	Type 71 Brown Strip	71485119853	3/14 + 4/4	4.30	3.23	1.4	20.75	20.375	5.75
71-19	CS	5	Type 71 Brown Strip	71485111314	3/14 + 4/4	4.67	3.60	1.4	20.75	20.375	5.75
71-20	CS	5	Type 71 Brown Strip	71485109809	3/14 + 4/4	5.06	3.99	1.4	20.75	20.375	5.75
71-21	CS	5	Type 71 Brown Strip	71485125663	3/14 + 4/4	5.57	4.40	1.7	22.75	22.5	5.75
71-22	CS	5	Type 71 Brown Strip	71485127261	3/14 + 4/4	5.99	4.82	1.7	22.75	22.5	5.75
71-23	CS	5	Type 71 Brown Strip	71485129500	10/3	6.62	5.27	2.01	24.75	24.5	5.75
71-24	CS	5	Type 71 Brown Strip	71485125908	10/3	7.09	5.74	2.01	24.75	24.5	5.75
71-25	CS	5	Type 71 Brown Strip	71485129517	10/3	7.58	6.23	2.01	24.75	24.5	5.75
71-26-2pk	CS	2	Type 71 Brown Strip	71485129524	20 / 2 + 6	4.14	2.70	1.13	28	28	2.5
71-27-2pk	CS	2	Type 71 Brown Strip	71485125670	20 / 2 + 6	4.35	2.91	1.13	28	28	2.5
71-28-2pk	CS	2	Type 71 Brown Strip	71485129531	20 / 2 + 6	4.57	3.13	1.13	28	28	2.5
71-29-2pk	CS	2	Type 71 Brown Strip	71485129548	20 / 2 + 6	4.80	3.35	1.13	28	28	2.5
71-30-2pk	CS	2	Type 71 Brown Strip	71485129555	20 / 2 + 6	5.03	3.59	1.13	28	28	2.5
71-31-2pk	CS	2	Type 71 Brown Strip	71485129562	20 / 2 + 6	5.28	3.83	1.13	28	28	2.5

72-7.75	CS	10	Type 72 Black Strip	71485129678	4/22 + 4/9	1.90	1.25	0.69	14.5	14.5	5.75
72-9.25	CS	5	Type 72 Black Strip	71485126172	4/22 + 4/9	1.54	0.89	0.69	14.5	14.5	5.75
72-10	CS	5	Type 72 Black Strip	71485111390	4/22 + 4/9	1.69	1.04	0.69	14.5	14.5	5.75
72-11	CS	5	Type 72 Black Strip	71485111406	4/22 + 4/9	1.91	1.26	0.69	14.5	14.5	5.75
72-12	CS	5	Type 72 Black Strip	71485109922	4/22 + 4/9	2.15	1.50	0.69	14.5	14.5	5.75
72-13	CS	5	Type 72 Black Strip	71485119792	4/22 + 4/9	2.41	1.76	0.69	14.5	14.5	5.75
72-14	CS	5	Type 72 Black Strip	71485111468	4/22 + 4/9	2.69	2.05	0.69	14.5	14.5	5.75
72-15	CS	5	Type 72 Black Strip	71485132906	3/16 + 5/4	3.07	2.35	0.9	16.5	16.5	5.75
72-16	CS	5	Type 72 Black Strip	71485132913	3/16 + 5/4	3.39	2.67	0.9	16.5	16.5	5.75
72-17	CS	5	Type 72 Black Strip	71485109977	3/14 + 4/4	3.97	3.02	1.13	18.5	18.5	5.75
72-18	CS	5	Type 72 Black Strip	71485133675	3/14 + 4/4	4.45	3.38	1.4	20.75	20.375	5.75
72-19	CS	5	Type 72 Black Strip	71485132890	3/14 + 4/4	4.84	3.77	1.4	20.75	20.375	5.75
72-20	CS	5	Type 72 Black Strip	71485131510	3/14 + 4/4	5.25	4.18	1.4	20.75	20.375	5.75
72-21	CS	5	Type 72 Black Strip	71485131640	3/14 + 4/4	5.77	4.60	1.7	22.75	22.5	5.75
72-22	CS	5	Type 72 Black Strip	71485132920	3/14 + 4/4	6.22	5.05	1.7	22.75	22.5	5.75
72-23	CS	5	Type 72 Black Strip	71485133002	10/3	6.87	5.52	2.01	24.75	24.5	5.75
72-24	CS	5	Type 72 Black Strip	71485132937	10/3	7.36	6.01	2.01	24.75	24.5	5.75
72-25	CS	5	Type 72 Black Strip	71485132944	10/3	7.87	6.53	2.01	24.75	24.5	5.75
72-26-2pk	CS	2	Type 72 Black Strip	71485129616	20 / 2 + 6	4.27	2.82	1.13	28	28	2.5
72-27-2pk	CS	2	Type 72 Black Strip	71485125687	20 / 2 + 6	4.49	3.04	1.13	28	28	2.5
72-28-2pk	CS	2	Type 72 Black Strip	71485129623	20 / 2 + 6	4.72	3.27	1.13	28	28	2.5
72-29-2pk	CS	2	Type 72 Black Strip	71485129630	20 / 2 + 6	4.96	3.51	1.13	28	28	2.5
72-30-2pk	CS	2	Type 72 Black Strip	71485129647	20 / 2 + 6	5.20	3.76	1.13	28	28	2.5
72-31-2pk	CS	2	Type 72 Black Strip	71485129654	20 / 2 + 6	5.46	4.01				
73-7.75	CS	10	Type 73 Emerald Hy-Pro	71485129784	4/22 + 4/9	1.92	1.27	0.69	14.5	14.5	5.75
73-9.25	CS	5	Type 73 Emerald Hy-Pro	71485129791	4/22 + 4/9	1.55	0.91	0.69	14.5	14.5	5.75
73-10	CS	5	Type 73 Emerald Hy-Pro	71485129685	4/22 + 4/9	1.70	1.06	0.69	14.5	14.5	5.75
73-11	CS	5	Type 73 Emerald Hy-Pro	71485129692	4/22 + 4/9	1.93	1.28	0.69	14.5	14.5	5.75
73-12	CS	5	Type 73 Emerald Hy-Pro	71485116449	4/22 + 4/9	2.17	1.53	0.69	14.5	14.5	5.75
73-13	CS	5	Type 73 Emerald Hy-Pro	71485125229	4/22 + 4/9	2.43	1.79	0.69	14.5	14.5	5.75
73-14	CS	5	Type 73 Emerald Hy-Pro	71485123638	4/22 + 4/9	2.72	2.08	0.69	14.5	14.5	5.75
73-15	CS	5	Type 73 Emerald Hy-Pro	71485125922	3/16 + 5/4	3.10	2.38	0.9	16.5	16.5	5.75
73-16	CS	5	Type 73 Emerald Hy-Pro	71485125298	3/16 + 5/4	3.43	2.71	0.9	16.5	16.5	5.75
73-17	CS	5	Type 73 Emerald Hy-Pro	71485119815	3/14 + 4/4	4.01	3.06	1.13	18.5	18.5	5.75
73-18	CS	5	Type 73 Emerald Hy-Pro	71485125335	3/14 + 4/4	4.50	3.43	1.4	20.75	20.375	5.75
73-19	CS	5	Type 73 Emerald Hy-Pro	71485120293	3/14 + 4/4	4.89	3.82	1.4	20.75	20.375	5.75
73-20	CS	5	Type 73 Emerald Hy-Pro	71485119822	3/14 + 4/4	5.31	4.24	1.4	20.75	20.375	5.75
73-21	CS	5	Type 73 Emerald Hy-Pro	71485125694	3/14 + 4/4	5.84	4.67	1.7	22.75	22.5	5.75
73-22	CS	5	Type 73 Emerald Hy-Pro	71485127278	3/14 + 4/4	6.30	5.13	1.7	22.75	22.5	5.75
73-23	CS	5	Type 73 Emerald Hy-Pro	71485129708	10/3	6.95	5.60	2.01	24.75	24.5	5.75

73-24	CS	5	Type 73 Emerald Hy-Pro	71485123645	10/3	7.45	6.10	2.01	24.75	24.5	5.75
73-25	CS	5	Type 73 Emerald Hy-Pro	71485129715	10/3	7.97	6.62	2.01	24.75	24.5	5.75
73-26-2pk	CS	2	Type 73 Emerald Hy-Pro	71485129722	20 / 2 + 6	4.31	2.86	1.13	28	28	2.5
73-27-2pk	CS	2	Type 73 Emerald Hy-Pro	71485125939	20 / 2 + 6	4.53	3.09	1.13	28	28	2.5
73-28-2pk	CS	2	Type 73 Emerald Hy-Pro	71485129739	20 / 2 + 6	4.77	3.32	1.13	28	28	2.5
73-29-2pk	CS	2	Type 73 Emerald Hy-Pro	71485129746	20 / 2 + 6	5.01	3.56	1.13	28	28	2.5
73-30-2pk	CS	2	Type 73 Emerald Hy-Pro	71485129753	20 / 2 + 6	5.26	3.81	1.13	28	28	2.5
73-31-2pk	CS	2	Type 73 Emerald Hy-Pro	71485129760	20 / 2 + 6	5.52	4.07	1.13	28	28	2.5
47-7.75	CS	10	Type 47 Maroon Thin Line	71485138908	4/22 + 4/9	1.16	0.52	0.69	14.5	14.5	5.75
47-9.25	CS	10	Type 47 Maroon Thin Line	71485137871	4/22 + 4/9	1.38	0.74	0.69	14.5	14.5	5.75
47-10	CS	10	Type 47 Maroon Thin Line		4/22 + 4/9	1.50	0.86	0.69	14.5	14.5	5.75
47-11	CS	10	Type 47 Maroon Thin Line	71485147085	4/22 + 4/9	1.68	1.04	0.69	14.5	14.5	5.75
47-12	CS	10	Type 47 Maroon Thin Line	71485146354	4/22 + 4/9	1.88	1.24	0.69	14.5	14.5	5.75
47-13	CS	10	Type 47 Maroon Thin Line	71485144077	4/22 + 4/9	2.10	1.45	0.69	14.5	14.5	5.75
47-14	CS	10	Type 47 Maroon Thin Line	71485137871	4/22 + 4/9	2.33	1.69	0.69	14.5	14.5	5.75
47-15	CS	10	Type 47 Maroon Thin Line	71485137093	3/16 + 5/4	2.65	1.94	0.9	16.5	16.5	5.75
47-16	CS	10	Type 47 Maroon Thin Line	71485137437	3/16 + 5/4	2.92	2.20	0.9	16.5	16.5	5.75
47-17	CS	10	Type 47 Maroon Thin Line	71485131992	3/14 + 4/4	3.44	2.49	1.13	18.5	18.5	5.75
47-18	CS	10	Type 47 Maroon Thin Line	71485135617	3/14 + 4/4	3.86	2.79	1.4	20.75	20.375	5.75
47-19	CS	10	Type 47 Maroon Thin Line	71485137154	3/14 + 4/4	4.18	3.11	1.4	20.75	20.375	5.75
47-20	CS	10	Type 47 Maroon Thin Line	71485131206	3/14 + 4/4	4.51	3.44	1.4	20.75	20.375	5.75
47-21	CS	10	Type 47 Maroon Thin Line	71485145050	3/14 + 4/4	4.96	3.79	1.7	22.75	22.5	5.75
47-22	CS	10	Type 47 Maroon Thin Line		3/14 + 4/4	5.33	4.16	1.7	22.75	22.5	5.75
47-23	CS	10	Type 47 Maroon Thin Line		10/3	5.90	4.55	2.01	24.75	24.5	5.75
47-24	CS	10	Type 47 Maroon Thin Line		10/3	6.30	4.96	2.01	24.75	24.5	5.75
47-25	CS	10	Type 47 Maroon Thin Line		10/3	6.72	5.38	2.01	24.75	24.5	5.75
47-26-2PK	CS	2	Type 47 Maroon Thin Line		20 / 2 + 6	2.61	1.16	1.13	28	28	2.5
47-27-2PK	CS	2	Type 47 Maroon Thin Line	71485146200	20 / 2 + 6	2.70	1.25	1.13	28	28	2.5
47-28-2PK	CS	2	Type 47 Maroon Thin Line		20 / 2 + 6	2.79	1.35	1.13	28	28	2.5
47-29-2PK	CS	2	Type 47 Maroon Thin Line		20 / 2 + 6	2.89	1.45	1.13	28	28	2.5
47-30-2PK	CS	2	Type 47 Maroon Thin Line		20 / 2 + 6	2.99	1.55	1.13	28	28	2.5
47-31-2PK	CS	2	Type 47 Maroon Thin Line		20 / 2 + 6	3.10	1.65	1.13	28	28	2.5
47-32-2PK	CS	2	Type 47 Maroon Thin Line		20 / 2 + 6	3.21	1.76	1.13	28	28	2.5
43-7.75	CS	10	Type 43 Blush Burnishing		4/22 + 4/9	1.16	0.52	0.69	14.5	14.5	5.75
43-9.25	CS	5	Type 43 Blush Burnishing		4/22 + 4/9	1.07	0.43	0.69	14.5	14.5	5.75
43-10	CS	5	Type 43 Blush Burnishing		4/22 + 4/9	1.17	0.53	0.69	14.5	14.5	5.75
43-11	CS	5	Type 43 Blush Burnishing	71485146224	4/22 + 4/9	1.29	0.64	0.69	14.5	14.5	5.75
43-12	CS	5	Type 43 Blush Burnishing	71485138106	4/22 + 4/9	1.41	0.77	0.69	14.5	14.5	5.75
43-13	CS	5	Type 43 Blush Burnishing	71485137505	4/22 + 4/9	1.54	0.90	0.69	14.5	14.5	5.75
43-14	CS	5	Type 43 Blush Burnishing	71485140468	4/22 + 4/9	1.69	1.04	0.69	14.5	14.5	5.75

43-15	CS	5	Type 43 Blush Burnishing	71485143872	3/16 + 5/4	1.91	1.20	0.9	16.5	16.5	5.75
43-16	CS	5	Type 43 Blush Burnishing	71485139400	3/16 + 5/4	2.08	1.36	0.9	16.5	16.5	5.75
43-17	CS	5	Type 43 Blush Burnishing	71485137468	3/14 + 4/4	2.49	1.54	1.13	18.5	18.5	5.75
43-18	CS	5	Type 43 Blush Burnishing	71485139417	3/14 + 4/4	2.79	1.72	1.4	20.75	20.375	5.75
43-19	CS	5	Type 43 Blush Burnishing	71485139424	3/14 + 4/4	2.99	1.92	1.4	20.75	20.375	5.75
43-20	CS	5	Type 43 Blush Burnishing	71485137291	3/14 + 4/4	3.20	2.13	1.4	20.75	20.375	5.75
43-21	CS	5	Type 43 Blush Burnishing		3/14 + 4/4	3.51	2.34	1.7	22.75	22.5	5.75
43-22	CS	5	Type 43 Blush Burnishing		3/14 + 4/4	3.74	2.57	1.7	22.75	22.5	5.75
43-23	CS	5	Type 43 Blush Burnishing		10/3	4.16	2.81	2.01	24.75	24.5	5.75
43-24	CS	5	Type 43 Blush Burnishing		10/3	4.41	3.06	2.01	24.75	24.5	5.75
43-25	CS	5	Type 43 Blush Burnishing		10/3	4.67	3.32	2.01	24.75	24.5	5.75
43-26-2pk	CS	2	Type 43 Blush Burnishing		20 / 2 + 6	2.88	1.44	1.13	28	28	2.5
43-27-2pk	CS	2	Type 43 Blush Burnishing	71485138748	20 / 2 + 6	3.00	1.55	1.13	28	28	2.5
43-28-2pk	CS	2	Type 43 Blush Burnishing		20 / 2 + 6	3.11	1.67	1.13	28	28	2.5
43-29-2pk	CS	2	Type 43 Blush Burnishing		20 / 2 + 6	3.23	1.79	1.13	28	28	2.5
43-30-2pk	CS	2	Type 43 Blush Burnishing		20 / 2 + 6	3.36	1.91	1.13	28	28	2.5
43-31-2pk	CS	2	Type 43 Blush Burnishing		20 / 2 + 6	3.49	2.04	1.13	28	28	2.5
43-32-2pk	CS	2	Type 43 Blush Burnishing		20 / 2 + 6		-1.44				
75-7.75	CS	10	Type 75 Midnight Blue Strp		4/22 + 4/9	1.50	0.86	0.69	14.5	14.5	5.75
75-9.25	CS	5	Type 75 Midnight Blue Strp		4/22 + 4/9	1.35	0.71	0.69	14.5	14.5	5.75
75-10	CS	5	Type 75 Midnight Blue Strp		4/22 + 4/9	1.52	0.87	0.69	14.5	14.5	5.75
75-11	CS	5	Type 75 Midnight Blue Strp		4/22 + 4/9	1.70	1.06	0.69	14.5	14.5	5.75
75-12	CS	5	Type 75 Midnight Blue Strp		4/22 + 4/9	1.90	1.26	0.69	14.5	14.5	5.75
75-13	CS	5	Type 75 Midnight Blue Strp	71485145142	4/22 + 4/9	2.12	1.48	0.69	14.5	14.5	5.75
75-14	CS	5	Type 75 Midnight Blue Strp	71485145258	4/22 + 4/9	2.35	1.71	0.69	14.5	14.5	5.75
75-15	CS	5	Type 75 Midnight Blue Strp	71485146361	3/16 + 5/4	2.68	1.96	0.9	16.5	16.5	5.75
75-16	CS	5	Type 75 Midnight Blue Strp	71485145715	3/16 + 5/4	2.95	2.24	0.9	16.5	16.5	5.75
75-17	CS	5	Type 75 Midnight Blue Strp	71485144787	3/14 + 4/4	3.47	2.52	1.13	18.5	18.5	5.75
75-18	CS	5	Type 75 Midnight Blue Strp	71485146682	3/14 + 4/4	3.90	2.83	1.39	20	21	5.75
75-19	CS	5	Type 75 Midnight Blue Strp	71485145883	3/14 + 4/4	4.22	3.15	1.4	20.75	20.375	5.75
75-20	CS	5	Type 75 Midnight Blue Strp	71485144794	3/14 + 4/4	4.56	3.49	1.4	20.75	20.375	5.75
75-21	CS	5	Type 75 Midnight Blue Strp		3/14 + 4/4	5.02	3.85	1.4	20.75	20.375	5.75
75-22	CS	5	Type 75 Midnight Blue Strp		3/14 + 4/4	5.40	4.23	1.7	22.75	22.5	5.75
75-23	CS	5	Type 75 Midnight Blue Strp		10/3	5.97	4.62	1.7	22.75	22.5	5.75
75-24	CS	5	Type 75 Midnight Blue Strp		10/3	6.38	5.03	2.01	24.75	24.5	5.75
75-25	CS	5	Type 75 Midnight Blue Strp		10/3	6.80	5.46	2.01	24.75	24.5	5.75
75-26-2pk	CS	2	Type 75 Midnight Blue Strp		20 / 2 + 6	3.81	2.36	1.13	28	28	2.5
75-27-2pk	CS	2	Type 75 Midnight Blue Strp		20 / 2 + 6	3.99	2.55	1.13	28	28	2.5
75-28-2pk	CS	2	Type 75 Midnight Blue Strp		20 / 2 + 6	4.18	2.74	1.13	28	28	2.5
75-29-2pk	CS	2	Type 75 Midnight Blue Strp		20 / 2 + 6	4.38	2.94	1.13	28	28	2.5
75-30-2pk	CS	2	Type 75 Midnight Blue Strp		20 / 2 + 6	4.59	3.14	1.13	28	28	2.5

75-31-2pk	CS	2	Type 75 Midnight Blue Strp		20 / 2 + 6	4.80	3.36	1.13	28	28	2.5
75-32-2pk	CS	2	Type 75 Midnight Blue Strp		20 / 2 + 6	5.02	3.58	1.13	28	28	2.5
45-7.75	CS	10	Type 45 Peach		4/22 + 4/9	1.15	0.50	0.69	14.5	14.5	5.75
45-9.25	CS	5	Type 45 Peach		4/22 + 4/9	1.06	0.42	0.69	14.5	14.5	5.75
45-10	CS	5	Type 45 Peach		4/22 + 4/9	1.16	0.51	0.69	14.5	14.5	5.75
45-11	CS	5	Type 45 Peach		4/22 + 4/9	1.26	0.62	0.69	14.5	14.5	5.75
45-12	CS	5	Type 45 Peach		4/22 + 4/9	1.38	0.74	0.69	14.5	14.5	5.75
45-13	CS	5	Type 45 Peach		4/22 + 4/9	1.51	0.87	0.69	14.5	14.5	5.75
45-14	CS	5	Type 45 Peach	71485147375	4/22 + 4/9	1.65	1.00	0.69	14.5	14.5	5.75
45-15	CS	5	Type 45 Peach		3/16 + 5/4	1.87	1.15	0.9	16.5	16.5	5.75
45-16	CS	5	Type 45 Peach	71485147382	3/16 + 5/4	2.03	1.31	0.9	16.5	16.5	5.75
45-17	CS	5	Type 45 Peach	71485147436	3/14 + 4/4	2.43	1.48	1.13	18.5	18.5	5.75
45-18	CS	5	Type 45 Peach		3/14 + 4/4	2.73	1.66	1.4	20.75	20.375	5.75
45-19	CS	5	Type 45 Peach	71485147443	3/14 + 4/4	2.92	1.85	1.4	20.75	20.375	5.75
45-20	CS	5	Type 45 Peach	71485144220	3/14 + 4/4	3.12	2.05	1.4	20.75	20.375	5.75
45-21	CS	5	Type 45 Peach		3/14 + 4/4	3.43	2.26	1.7	22.75	22.5	5.75
45-22	CS	5	Type 45 Peach		3/14 + 4/4	3.65	2.48	1.7	22.75	22.5	5.75
45-23	CS	5	Type 45 Peach		10/3	4.06	2.71	2.01	24.75	24.5	5.75
45-24	CS	5	Type 45 Peach	71485147399	10/3	4.30	2.95	2.01	24.75	24.5	5.75
45-25	CS	5	Type 45 Peach		10/3	4.55	3.20	2.01	24.75	24.5	5.75
45-26-2pk	CS	2	Type 45 Peach		20 / 2 + 6	2.83	1.39	1.13	28	28	2.5
45-27-2pk	CS	2	Type 45 Peach	71485147405	20 / 2 + 6	2.94	1.49	1.13	28	28	2.5
45-28-2pk	CS	2	Type 45 Peach		20 / 2 + 6	3.05	1.61	1.13	28	28	2.5
45-29-2pk	CS	2	Type 45 Peach		20 / 2 + 6	3.17	1.72	1.13	28	28	2.5
45-30-2pk	CS	2	Type 45 Peach		20 / 2 + 6	3.29	1.85	1.13	28	28	2.5
45-31-2pk	CS	2	Type 45 Peach		20 / 2 + 6	3.42	1.97	1.13	28	28	2.5
45-32-2pk	CS	2	Type 45 Peach		20 / 2 + 6	3.54	2.10	1.13	28	28	2.5
31-7.75-O	CS	10	Type 31 Aqua Burnishing		4/22 + 4/9	1.23	0.59	0.69	14.5	14.5	5.75
31-9.25-O	CS	5	Type 31 Aqua Burnishing		4/22 + 4/9	1.00	0.35	0.69	14.5	14.5	5.75
31-10-O	CS	5	Type 31 Aqua Burnishing		4/22 + 4/9	1.14	0.50	0.69	14.5	14.5	5.75
31-11-O	CS	5	Type 31 Aqua Burnishing		4/22 + 4/9	1.25	0.60	0.69	14.5	14.5	5.75
31-12-O	CS	5	Type 31 Aqua Burnishing	71485143605	4/22 + 4/9	1.35	0.71	0.69	14.5	14.5	5.75
31-13-o	CS	5	Type 31 Aqua Burnishing	71485142127	4/22 + 4/9	1.51	0.87	0.69	14.5	14.5	5.75
31-14-O	CS	5	Type 31 Aqua Burnishing	71485143445	4/22 + 4/9	1.59	0.95	0.69	14.5	14.5	5.75
31-15-O	CS	5	Type 31 Aqua Burnishing	71485142288	3/16 + 5/4	1.79	1.07	0.9	16.5	16.5	5.75
31-16-O	CS	5	Type 31 Aqua Burnishing	71485142448	3/16 + 5/4	1.96	1.25	0.9	16.5	16.5	5.75
31-17-O	CS	5	Type 31 Aqua Burnishing	71485141229	3/14 + 4/4	2.34	1.39	1.13	18.5	18.5	5.75
31-18_O	CS	5	Type 31 Aqua Burnishing	71485142615	3/14 + 4/4	2.62	1.55	1.4	20.75	20.375	5.75
31-19-O	CS	5	Type 31 Aqua Burnishing	71485142776	3/14 + 4/4	2.79	1.72	1.4	20.75	20.375	5.75
31-20-O	CS	5	Type 31 Aqua Burnishing	71485141236	3/14 + 4/4	2.98	1.91	1.4	20.75	20.375	5.75

31-21-O	CS	5	Type 31 Aqua Burnishing	71485142943	3/14 + 4/4	3.30	2.13	1.7	22.75	22.5	5.75
31-22-O	CS	5	Type 31 Aqua Burnishing	71485143094	3/14 + 4/4	3.53	2.36	1.7	22.75	22.5	5.75
31-23-O	CS	5	Type 31 Aqua Burnishing	71485143247	10/3	3.92	2.58	2.01	24.75	24.5	5.75
31-24-O	CS	5	Type 31 Aqua Burnishing	71485141243	10/3	4.16	2.82	2.01	24.75	24.5	5.75
31-25-O	CS	5	Type 31 Aqua Burnishing		10/3	4.28	2.94	2.01	24.75	24.5	5.75
31-26-2PK-O	CS	2	Type 31 Aqua Burnishing		20 / 2 + 6	2.67	1.22	1.13	28	28	2.5
31-27-2PK-O	CS	2	Type 31 Aqua Burnishing	71485141250	20 / 2 + 6	2.79	1.35	1.13	28	28	2.5
31-28-2PK-O	CS	2	Type 31 Aqua Burnishing	71485141977	20 / 2 + 6	2.94	1.50	1.13	28	28	2.5
31-29-2PK-O	CS	2	Type 31 Aqua Burnishing		20 / 2 + 6	3.00	1.55	1.13	28	28	2.5
31-30-2PK-O	CS	2	Type 31 Aqua Burnishing		20 / 2 + 6	3.05	1.61	1.13	28	28	2.5
31-31-2PK-O	CS	2	Type 31 Aqua Burnishing		20 / 2 + 6	3.10	1.66	1.13	28	28	2.5
31-32--2PK-O	CS	2	Type 31 Aqua Burnishing		20 / 2 + 6	3.16	1.71	1.13	28	28	2.5
52-7.75-O	CS	10	Type 52 Blue Velvet		4/22 + 4/9	1.21	0.57	0.69	14.5	14.5	5.75
52-9.25	CS	5	Type 52 Blue Velvet		4/22 + 4/9	0.98	0.34	0.69	14.5	14.5	5.75
52-10-O	CS	5	Type 52 Blue Velvet		4/22 + 4/9	1.12	0.48	0.69	14.5	14.5	5.75
52-11-O	CS	5	Type 52 Blue Velvet		4/22 + 4/9	1.23	0.58	0.69	14.5	14.5	5.75
52-12-O	CS	5	Type 52 Blue Velvet	71485143704	4/22 + 4/9	1.33	0.68	0.69	14.5	14.5	5.75
52-13-O	CS	5	Type 52 Blue Velvet	71485142226	4/22 + 4/9	1.48	0.84	0.69	14.5	14.5	5.75
52-14-O	CS	5	Type 52 Blue Velvet	71485143544	4/22 + 4/9	1.56	0.91	0.69	14.5	14.5	5.75
52-15-O	CS	5	Type 52 Blue Velvet	71485142387	3/16 + 5/4	1.75	1.03	0.9	16.5	16.5	5.75
52-16-O	CS	5	Type 52 Blue Velvet	71485142554	3/16 + 5/4	1.92	1.20	0.9	16.5	16.5	5.75
52-17-O	CS	5	Type 52 Blue Velvet	71485141687	3/14 + 4/4	2.29	1.34	1.13	18.5	18.5	5.75
52-18-O	CS	5	Type 52 Blue Velvet	71485142714	3/14 + 4/4	2.56	1.49	1.4	20.75	20.375	5.75
52-19-O	CS	5	Type 52 Blue Velvet	71485142882	3/14 + 4/4	2.73	1.66	1.4	20.75	20.375	5.75
52-20-O	CS	5	Type 52 Blue Velvet	71485141694	3/14 + 4/4	2.91	1.84	1.4	20.75	20.375	5.75
52-21-O	CS	5	Type 52 Blue Velvet	71485143032	3/14 + 4/4	3.22	2.05	1.7	22.75	22.5	5.75
52-22-O	CS	5	Type 52 Blue Velvet	71485143186	3/14 + 4/4	3.44	2.27	1.7	22.75	22.5	5.75
52-23-O	CS	5	Type 52 Blue Velvet	71485143339	10/3	3.83	2.48	2.01	24.75	24.5	5.75
52-24-O	CS	5	Type 52 Blue Velvet	71485141700	10/3	4.06	2.72	2.01	24.75	24.5	5.75
52-25-O	CS	5	Type 52 Blue Velvet		10/3	4.18	2.83	2.01	24.75	24.5	5.75
52-26-2PK-O	CS	2	Type 52 Blue Velvet		20 / 2 + 6	2.62	1.18	1.13	28	28	2.5
52-27-2PK-O	CS	2	Type 52 Blue Velvet	71485141717	20 / 2 + 6	2.75	1.30	1.13	28	28	2.5
52-28-2PK-O	CS	2	Type 52 Blue Velvet	71485142066	20 / 2 + 6	2.89	1.45	1.13	28	28	2.5
52-29-2PK-O	CS	2	Type 52 Blue Velvet		20 / 2 + 6	2.94	1.50	1.13	28	28	2.5
52-30-2PK-O	CS	2	Type 52 Blue Velvet		20 / 2 + 6	2.99	1.55	1.13	28	28	2.5
52-31-2PK-O	CS	2	Type 52 Blue Velvet		20 / 2 + 6	3.05	1.60	1.13	28	28	2.5
52-32-2PK-O	CS	2	Type 52 Blue Velvet		20 / 2 + 6	3.10	1.65	1.13	28	28	2.5
36-7.75-O	CS	10	Type 36 Pink Burnishing		4/22 + 4/9	1.28	0.63	0.69	14.5	14.5	5.75
36-9.25-O	CS	5	Type 36 Pink Burnishing		4/22 + 4/9	1.02	0.38	0.69	14.5	14.5	5.75
36-10-O	CS	5	Type 36 Pink Burnishing	71485144510	4/22 + 4/9	1.18	0.53	0.69	14.5	14.5	5.75

36-11-O	CS	5	Type 36 Pink Burnishing		4/22 + 4/9	1.29	0.65	0.69	14.5	14.5	5.75
36-12-O	CS	5	Type 36 Pink Burnishing	71485143643	4/22 + 4/9	1.40	0.76	0.69	14.5	14.5	5.75
36-13-O	CS	5	Type 36 Pink Burnishing	71485142165	4/22 + 4/9	1.57	0.93	0.69	14.5	14.5	5.75
36-14-O	CS	5	Type 36 Pink Burnishing	71485143483	4/22 + 4/9	1.66	1.01	0.69	14.5	14.5	5.75
36-15-O	CS	5	Type 36 Pink Burnishing	71485142325	3/16 + 5/4	1.86	1.15	0.9	16.5	16.5	5.75
36-16-O	CS	5	Type 36 Pink Burnishing	71485142486	3/16 + 5/4	2.05	1.34	0.9	16.5	16.5	5.75
36-17-O	CS	5	Type 36 Pink Burnishing	71485141410	3/14 + 4/4	2.43	1.49	1.13	18.5	18.5	5.75
36-18-O	CS	5	Type 36 Pink Burnishing	71485142653	3/14 + 4/4	2.73	1.66	1.4	20.75	20.375	5.75
36-19-O	CS	5	Type 36 Pink Burnishing	71485142813	3/14 + 4/4	2.91	1.84	1.4	20.75	20.375	5.75
36-20-O	CS	5	Type 36 Pink Burnishing	71485141427	3/14 + 4/4	3.12	2.05	1.4	20.75	20.375	5.75
36-21-O	CS	5	Type 36 Pink Burnishing	71485142981	3/14 + 4/4	3.45	2.28	1.7	22.75	22.5	5.75
36-22-O	CS	5	Type 36 Pink Burnishing	71485143131	3/14 + 4/4	3.70	2.53	1.7	22.75	22.5	5.75
36-23-O	CS	5	Type 36 Pink Burnishing	71485143285	10/3	4.11	2.76	2.01	24.75	24.5	5.75
36-24-O	CS	5	Type 36 Pink Burnishing	71485141434	10/3	4.36	3.02	2.01	24.75	24.5	5.75
36-25-O	CS	5	Type 36 Pink Burnishing		10/3	4.49	3.15	2.01	24.75	24.5	5.75
36-26-2PK-O	CS	2	Type 36 Pink Burnishing		20 / 2 + 6	2.75	1.31	1.13	28	28	2.5
36-27-2PK-O	CS	2	Type 36 Pink Burnishing	71485141441	20 / 2 + 6	2.89	1.44	1.13	28	28	2.5
36-28-2PK-O	CS	2	Type 36 Pink Burnishing	71485142011	20 / 2 + 6	3.05	1.61	1.13	28	28	2.5
36-29-2PK-O	CS	2	Type 36 Pink Burnishing		20 / 2 + 6	3.11	1.66	1.13	28	28	2.5
36-30-2PK-O	CS	2	Type 36 Pink Burnishing		20 / 2 + 6	3.17	1.72	1.13	28	28	2.5
36-31-2PK-O	CS	2	Type 36 Pink Burnishing		20 / 2 + 6	3.22	1.78	1.13	28	28	2.5
36-32-2PK-O	CS	2	Type 36 Pink Burnishing		20 / 2 + 6	3.28	1.84	1.13	28	28	2.5
42-7.75-O	CS	10	Type 42 Beige Poly Thermal		4/22 + 4/9	1.21	0.57	0.69	14.5	14.5	5.75
42-9.25-O	CS	5	Type 42 Beige Poly Thermal		4/22 + 4/9	0.98	0.34	0.69	14.5	14.5	5.75
42-10-O	CS	5	Type 42 Beige Poly Thermal		4/22 + 4/9	1.12	0.48	0.69	14.5	14.5	5.75
42-11-O	CS	5	Type 42 Beige Poly Thermal		4/22 + 4/9	1.23	0.58	0.69	14.5	14.5	5.75
42-12-O	CS	5	Type 42 Beige Poly Thermal	71485143674	4/22 + 4/9	1.33	0.68	0.69	14.5	14.5	5.75
42-13-O	CS	5	Type 42 Beige Poly Thermal	71485142196	4/22 + 4/9	1.48	0.84	0.69	14.5	14.5	5.75
42-14-O	CS	5	Type 42 Beige Poly Thermal	71485143513	4/22 + 4/9	1.56	0.91	0.69	14.5	14.5	5.75
42-15-O	CS	5	Type 42 Beige Poly Thermal	71485142356	3/16 + 5/4	1.75	1.03	0.9	16.5	16.5	5.75
42-16-O	CS	5	Type 42 Beige Poly Thermal	71485142516	3/16 + 5/4	1.92	1.20	0.9	16.5	16.5	5.75
42-17-O	CS	5	Type 42 Beige Poly Thermal	71485141557	3/14 + 4/4	2.29	1.34	1.13	18.5	18.5	5.75
42-18-O	CS	5	Type 42 Beige Poly Thermal	71485142684	3/14 + 4/4	2.56	1.49	1.4	20.75	20.375	5.75
42-19-O	CS	5	Type 42 Beige Poly Thermal	71485142844	3/14 + 4/4	2.73	1.66	1.4	20.75	20.375	5.75
42-20-O	CS	5	Type 42 Beige Poly Thermal	71485141564	3/14 + 4/4	2.91	1.84	1.4	20.75	20.375	5.75
42-21-O	CS	5	Type 42 Beige Poly Thermal	71485143018	3/14 + 4/4	3.22	2.05	1.7	22.75	22.5	5.75
42-22-O	CS	5	Type 42 Beige Poly Thermal	71485143162	3/14 + 4/4	3.44	2.27	1.7	22.75	22.5	5.75
42-23-O	CS	5	Type 42 Beige Poly Thermal	71485143315	10/3	3.83	2.48	2.01	24.75	24.5	5.75
42-24-O	CS	5	Type 42 Beige Poly Thermal	71485144046	10/3	4.06	2.72	2.01	24.75	24.5	5.75
42-25-O	CS	5	Type 42 Beige Poly Thermal		10/3	4.18	2.83	2.01	24.75	24.5	5.75
42-26-2PK-O	CS	2	Type 42 Beige Poly Thermal		20 / 2 + 6	2.62	1.18	1.13	28	28	2.5

42-27-2PK-O	CS	2	Type 42 Beige Poly Thermal	71485141571	20 / 2 + 6	2.75	1.30	1.13	28	28	2.5
42-28-2PK-O	CS	2	Type 42 Beige Poly Thermal	71485142042	20 / 2 + 6	2.89	1.45	1.13	28	28	2.5
42-29-2PK-O	CS	2	Type 42 Beige Poly Thermal		20 / 2 + 6	2.94	1.50	1.13	28	28	2.5
42-30-2PK-O	CS	2	Type 42 Beige Poly Thermal		20 / 2 + 6	2.99	1.55	1.13	28	28	2.5
42-31-2PK-O	CS	2	Type 42 Beige Poly Thermal		20 / 2 + 6	3.05	1.60	1.13	28	28	2.5
42-32-2PK-O	CS	2	Type 42 Beige Poly Thermal		20 / 2 + 6	3.10	1.65	1.13	28	28	2.5
33-7.75-O	CS	10	Type 33 Hair Blend Light		4/22 + 4/9	1.13	0.48	0.69	14.5	14.5	5.75
33-9.25-O	CS	5	Type 33 Hair Blend Light		4/22 + 4/9	0.93	0.29	0.69	14.5	14.5	5.75
33-10-O	CS	5	Type 33 Hair Blend Light		4/22 + 4/9	1.05	0.41	0.69	14.5	14.5	5.75
33-11-O	CS	5	Type 33 Hair Blend Light		4/22 + 4/9	1.14	0.50	0.69	14.5	14.5	5.75
33-12-O	CS	5	Type 33 Hair Blend Light	71485143612	4/22 + 4/9	1.23	0.58	0.69	14.5	14.5	5.75
33-13-O	CS	5	Type 33 Hair Blend Light	71485142134	4/22 + 4/9	1.35	0.71	0.69	14.5	14.5	5.75
33-14-O	CS	5	Type 33 Hair Blend Light	71485143452	4/22 + 4/9	1.42	0.78	0.69	14.5	14.5	5.75
33-15-O	CS	5	Type 33 Hair Blend Light	71485142295	3/16 + 5/4	1.60	0.88	0.9	16.5	16.5	5.75
33-16-O	CS	5	Type 33 Hair Blend Light	71485142455	3/16 + 5/4	1.74	1.02	0.9	16.5	16.5	5.75
33-17-O	CS	5	Type 33 Hair Blend Light	71485141274	3/14 + 4/4	2.09	1.14	1.13	18.5	18.5	5.75
33-18-O	CS	5	Type 33 Hair Blend Light	71485142622	3/14 + 4/4	2.34	1.27	1.4	20.75	20.375	5.75
33-19-O	CS	5	Type 33 Hair Blend Light	71485142783	3/14 + 4/4	2.48	1.41	1.4	20.75	20.375	5.75
33-20-O	CS	5	Type 33 Hair Blend Light	71485141281	3/14 + 4/4	2.64	1.57	1.4	20.75	20.375	5.75
33-21-O	CS	5	Type 33 Hair Blend Light	71485142950	3/14 + 4/4	2.92	1.75	1.7	22.75	22.5	5.75
33-22-O	CS	5	Type 33 Hair Blend Light	71485143100	3/14 + 4/4	3.11	1.94	1.7	22.75	22.5	5.75
33-23-O	CS	5	Type 33 Hair Blend Light	71485143254	10/3	3.46	2.12	2.01	24.75	24.5	5.75
33-24-O	CS	5	Type 33 Hair Blend Light	71485141298	10/3	3.66	2.31	2.01	24.75	24.5	5.75
33-25-O	CS	5	Type 33 Hair Blend Light		10/3	3.76	2.41	2.01	24.75	24.5	5.75
33-26-2PK-O	CS	2	Type 33 Hair Blend Light		20 / 2 + 6	2.45	1.00	1.13	28	28	2.5
33-27-2PK-O	CS	2	Type 33 Hair Blend Light	71485141304	20 / 2 + 6	2.55	1.11	1.13	28	28	2.5
33-28-2PK-O	CS	2	Type 33 Hair Blend Light	71485141984	20 / 2 + 6	2.68	1.23	1.13	28	28	2.5
33-29-2PK-O	CS	2	Type 33 Hair Blend Light		20 / 2 + 6	2.72	1.28	1.13	28	28	2.5
33-30-2PK-O	CS	2	Type 33 Hair Blend Light		20 / 2 + 6	2.76	1.32	1.13	28	28	2.5
33-31-2PK-O	CS	2	Type 33 Hair Blend Light		20 / 2 + 6	2.81	1.36	1.13	28	28	2.5
33-32-2PK-O	CS	2	Type 33 Hair Blend Light		20 / 2 + 6	2.85	1.41	1.13	28	28	2.5
35-7.75-O	CS	10	Type 35 Hair Blend Medium		4/22 + 4/9	1.25	0.61	0.69	14.5	14.5	5.75
35-9.25-O	CS	5	Type 35 Hair Blend Medium		4/22 + 4/9	1.01	0.36	0.69	14.5	14.5	5.75
35-10-O	CS	5	Type 35 Hair Blend Medium		4/22 + 4/9	1.16	0.52	0.69	14.5	14.5	5.75
35-11-O	CS	5	Type 35 Hair Blend Medium		4/22 + 4/9	1.27	0.63	0.69	14.5	14.5	5.75
35-12-O	CS	5	Type 35 Hair Blend Medium	71485143636	4/22 + 4/9	1.38	0.74	0.69	14.5	14.5	5.75
35-13-O	CS	5	Type 35 Hair Blend Medium	71485142158	4/22 + 4/9	1.54	0.90	0.69	14.5	14.5	5.75
35-14-O	CS	5	Type 35 Hair Blend Medium	71485143476	4/22 + 4/9	1.62	0.98	0.69	14.5	14.5	5.75
35-15-O	CS	5	Type 35 Hair Blend Medium	71485142318	3/16 + 5/4	1.83	1.11	0.9	16.5	16.5	5.75
35-16-O	CS	5	Type 35 Hair Blend Medium	71485142479	3/16 + 5/4	2.01	1.29	0.9	16.5	16.5	5.75

35-17-O	CS	5	Type 35 Hair Blend Medium	71485141366	3/14 + 4/4	2.39	1.44	1.13	18.5	18.5	5.75
35-18-O	CS	5	Type 35 Hair Blend Medium	71485142646	3/14 + 4/4	2.67	1.60	1.4	20.75	20.375	5.75
35-19-O	CS	5	Type 35 Hair Blend Medium	71485142806	3/14 + 4/4	2.85	1.78	1.4	20.75	20.375	5.75
35-20-O	CS	5	Type 35 Hair Blend Medium	71485141373	3/14 + 4/4	3.05	1.98	1.4	20.75	20.375	5.75
35-21-O	CS	5	Type 35 Hair Blend Medium	71485142974	3/14 + 4/4	3.37	2.20	1.7	22.75	22.5	5.75
35-22-O	CS	5	Type 35 Hair Blend Medium	71485143124	3/14 + 4/4	3.61	2.44	1.7	22.75	22.5	5.75
35-23-O	CS	5	Type 35 Hair Blend Medium	71485143278	10/3	4.01	2.67	2.01	24.75	24.5	5.75
35-24-O	CS	5	Type 35 Hair Blend Medium	71485141380	10/3	4.26	2.92	2.01	24.75	24.5	5.75
35-25-O	CS	5	Type 35 Hair Blend Medium	71485144435	10/3	4.39	3.04	2.01	24.75	24.5	5.75
35-26-2PK-O	CS	2	Type 35 Hair Blend Medium		20 / 2 + 6	2.71	1.26	1.13	28	28	2.5
35-27-2PK-O	CS	2	Type 35 Hair Blend Medium	71485141397	20 / 2 + 6	2.84	1.40	1.13	28	28	2.5
35-28-2PK-O	CS	2	Type 35 Hair Blend Medium	71485142004	20 / 2 + 6	3.00	1.55	1.13	28	28	2.5
38-29-2PK-O	CS	2	Type 35 Hair Blend Medium		20 / 2 + 6	3.05	1.61	1.13	28	28	2.5
35-30-2PK-O	CS	2	Type 35 Hair Blend Medium		20 / 2 + 6	3.11	1.66	1.13	28	28	2.5
35-31-2PK-O	CS	2	Type 35 Hair Blend Medium		20 / 2 + 6	3.16	1.72	1.13	28	28	2.5
35-32-2PK-O	CS	2	Type 35 Hair Blend Medium		20 / 2 + 6	3.22	1.77	1.13	28	28	2.5
37-7.75-O	CS	10	Type 37 Hair Blend Heavy		4/22 + 4/9	1.33	0.68	0.69	14.5	14.5	5.75
37-9.25-O	CS	5	Type 37 Hair Blend Heavy		4/22 + 4/9	1.05	0.41	0.69	14.5	14.5	5.75
37-10-O	CS	5	Type 37 Hair Blend Heavy		4/22 + 4/9	1.22	0.58	0.69	14.5	14.5	5.75
37-11-O	CS	5	Type 37 Hair Blend Heavy		4/22 + 4/9	1.34	0.70	0.69	14.5	14.5	5.75
37-12-O	CS	5	Type 37 Hair Blend Heavy	71485143650	4/22 + 4/9	1.47	0.82	0.69	14.5	14.5	5.75
37-13-O	CS	5	Type 37 Hair Blend Heavy	71485142172	4/22 + 4/9	1.65	1.01	0.69	14.5	14.5	5.75
37-14-O	CS	5	Type 37 Hair Blend Heavy	71485143490	4/22 + 4/9	1.74	1.10	0.69	14.5	14.5	5.75
37-15-O	CS	5	Type 37 Hair Blend Heavy	71485142332	3/16 + 5/4	1.96	1.24	0.9	16.5	16.5	5.75
37-16-O	CS	5	Type 37 Hair Blend Heavy	71485142493	3/16 + 5/4	2.16	1.45	0.9	16.5	16.5	5.75
37-17-O	CS	5	Type 37 Hair Blend Heavy	71485141458	3/14 + 4/4	2.56	1.61	1.13	18.5	18.5	5.75
37-18-O	CS	5	Type 37 Hair Blend Heavy	71485142660	3/14 + 4/4	2.87	1.80	1.4	20.75	20.375	5.75
37-19-O	CS	5	Type 37 Hair Blend Heavy	71485142820	3/14 + 4/4	3.06	1.99	1.4	20.75	20.375	5.75
37-20-O	CS	5	Type 37 Hair Blend Heavy	71485141465	3/14 + 4/4	3.29	2.22	1.4	20.75	20.375	5.75
37-21-O	CS	5	Type 37 Hair Blend Heavy	71485142998	3/14 + 4/4	3.64	2.47	1.7	22.75	22.5	5.75
37-22-O	CS	5	Type 37 Hair Blend Heavy	71485143148	3/14 + 4/4	3.91	2.74	1.7	22.75	22.5	5.75
37-23-O	CS	5	Type 37 Hair Blend Heavy	71485143292	10/3	4.34	2.99	2.01	24.75	24.5	5.75
37-24-O	CS	5	Type 37 Hair Blend Heavy	71485141472	10/3	4.62	3.27	2.01	24.75	24.5	5.75
37-25-O	CS	5	Type 37 Hair Blend Heavy		10/3	4.75	3.41	2.01	24.75	24.5	5.75
37-26-2PK-O	CS	2	Type 37 Hair Blend Heavy		20 / 2 + 6	2.86	1.42	1.13	28	28	2.5
37-27-2PK-O	CS	2	Type 37 Hair Blend Heavy	71485141489	20 / 2 + 6	3.01	1.56	1.13	28	28	2.5
37-28-2PK-O	CS	2	Type 37 Hair Blend Heavy	71485142028	20 / 2 + 6	3.18	1.74	1.13	28	28	2.5
37-29-2PK-O	CS	2	Type 37 Hair Blend Heavy		20 / 2 + 6	3.25	1.80	1.13	28	28	2.5
37-30-2PK-O	CS	2	Type 37 Hair Blend Heavy		20 / 2 + 6	3.31	1.86	1.13	28	28	2.5
37-31-2PK-O	CS	2	Type 37 Hair Blend Heavy		20 / 2 + 6	3.37	1.93	1.13	28	28	2.5
37-32-2PK-O	CS	2	Type 37 Hair Blend Heavy		20 / 2 + 6	3.43	1.99	1.13	28	28	2.5

34-7.75-O	CS	10	Type 34 Tan Buffer		4/22 + 4/9	1.33	0.69	0.69	14.5	14.5	5.75
34-9.25-O	CS	5	Type 34 Tan Buffer		4/22 + 4/9	1.05	0.41	0.69	14.5	14.5	5.75
34-10-O	CS	5	Type 34 Tan Buffer		4/22 + 4/9	1.22	0.58	0.69	14.5	14.5	5.75
34-11-O	CS	5	Type 34 Tan Buffer		4/22 + 4/9	1.35	0.71	0.69	14.5	14.5	5.75
34-12-O	CS	5	Type 34 Tan Buffer	71485143629	4/22 + 4/9	1.47	0.83	0.69	14.5	14.5	5.75
34-13-O	CS	5	Type 34 Tan Buffer	71485142141	4/22 + 4/9	1.65	1.01	0.69	14.5	14.5	5.75
34-14-O	CS	5	Type 34 Tan Buffer	71485143469	4/22 + 4/9	1.75	1.11	0.69	14.5	14.5	5.75
34-15-O	CS	5	Type 34 Tan Buffer	71485142301	3/16 + 5/4	1.97	1.25	0.9	16.5	16.5	5.75
34-16-O	CS	5	Type 34 Tan Buffer	71485142462	3/16 + 5/4	2.17	1.46	0.9	16.5	16.5	5.75
34-17-O	CS	5	Type 34 Tan Buffer	71485141328	3/14 + 4/4	2.57	1.62	1.13	18.5	18.5	5.75
34-18-O	CS	5	Type 34 Tan Buffer	71485142639	3/14 + 4/4	2.88	1.81	1.4	20.75	20.375	5.75
34-19-O	CS	5	Type 34 Tan Buffer	71485142790	3/14 + 4/4	3.08	2.01	1.4	20.75	20.375	5.75
34-20-O	CS	5	Type 34 Tan Buffer	71485141335	3/14 + 4/4	3.30	2.23	1.4	20.75	20.375	5.75
34-21-O	CS	5	Type 34 Tan Buffer	71485142967	3/14 + 4/4	3.65	2.49	1.7	22.75	22.5	5.75
34-22-O	CS	5	Type 34 Tan Buffer	71485143117	3/14 + 4/4	3.92	2.75	1.7	22.75	22.5	5.75
34-23-O	CS	5	Type 34 Tan Buffer	71485143261	10/3	4.35	3.01	2.01	24.75	24.5	5.75
34-24-O	CS	5	Type 34 Tan Buffer	71485144541	10/3	4.64	3.29	2.01	24.75	24.5	5.75
34-25-O	CS	5	Type 34 Tan Buffer		10/3	4.77	3.43	2.01	24.75	24.5	5.75
34-26-2PK-O	CS	2	Type 34 Tan Buffer		20 / 2 + 6	2.87	1.43	1.13	28	28	2.5
34-27-2PK-O	CS	2	Type 34 Tan Buffer	71485141342	20 / 2 + 6	3.02	1.57	1.13	28	28	2.5
34-28-2PK-O	CS	2	Type 34 Tan Buffer		20 / 2 + 6	3.20	1.75	1.13	28	28	2.5
34-29-2PK-O	CS	2	Type 34 Tan Buffer		20 / 2 + 6	3.26	1.81	1.13	28	28	2.5
34-30-2PK-O	CS	2	Type 34 Tan Buffer		20 / 2 + 6	3.32	1.88	1.13	28	28	2.5
34-31-2PK-O	CS	2	Type 34 Tan Buffer		20 / 2 + 6	3.38	1.94	1.13	28	28	2.5
34-32-2PK-O	CS	2	Type 34 Tan Buffer		20 / 2 + 6	3.45	2.00	1.13	28	28	2.5
41-7.75	CS	10	Type 41 White Polishing		4/22 + 4/9	1.16	0.52	0.69	14.5	14.5	5.75
41-9.25	CS	5	Type 41 White Polishing		4/22 + 4/9	0.95	0.31	0.69	14.5	14.5	5.75
41-10-O	CS	5	Type 41 White Polishing		4/22 + 4/9	1.08	0.44	0.69	14.5	14.5	5.75
41-11-O	CS	5	Type 41 White Polishing		4/22 + 4/9	1.18	0.53	0.69	14.5	14.5	5.75
41-12-O	CS	5	Type 41 White Polishing	71485143667	4/22 + 4/9	1.27	0.63	0.69	14.5	14.5	5.75
41-13-O	CS	5	Type 41 White Polishing	71485142189	4/22 + 4/9	1.41	0.77	0.69	14.5	14.5	5.75
41-14-O	CS	5	Type 41 White Polishing	71485143506	4/22 + 4/9	1.48	0.84	0.69	14.5	14.5	5.75
41-15-O	CS	5	Type 41 White Polishing	71485142349	3/16 + 5/4	1.66	0.95	0.9	16.5	16.5	5.75
41-16-O	CS	5	Type 41 White Polishing	71485142509	3/16 + 5/4	1.82	1.10	0.9	16.5	16.5	5.75
41-17-O	CS	5	Type 41 White Polishing	71485141502	3/14 + 4/4	2.17	1.23	1.13	18.5	18.5	5.75
41-18-O	CS	5	Type 41 White Polishing	71485142677	3/14 + 4/4	2.44	1.37	1.4	20.75	20.375	5.75
41-19-O	CS	5	Type 41 White Polishing	71485142837	3/14 + 4/4	2.59	1.52	1.4	20.75	20.375	5.75
41-20-O	CS	5	Type 41 White Polishing	71485141519	3/14 + 4/4	2.76	1.69	1.4	20.75	20.375	5.75
41-21-O	CS	5	Type 41 White Polishing	71485143001	3/14 + 4/4	3.05	1.88	1.7	22.75	22.5	5.75
41-22-O	CS	5	Type 41 White Polishing	71485143155	3/14 + 4/4	3.25	2.09	1.7	22.75	22.5	5.75

41-23-O	CS	5	Type 41 White Polishing	71485143308	10/3	3.62	2.28	2.01	24.75	24.5	5.75
41-24-O	CS	5	Type 41 White Polishing	71485141526	10/3	3.84	2.49	2.01	24.75	24.5	5.75
41-25-O	CS	5	Type 41 White Polishing		10/3	3.94	2.59	2.01	24.75	24.5	5.75
41-26-2PK-O	CS	2	Type 41 White Polishing		20 / 2 + 6	2.52	1.08	1.13	28	28	2.5
41-27-2PK-O	CS	2	Type 41 White Polishing	71485141533	20 / 2 + 6	2.64	1.19	1.13	28	28	2.5
41-28-2PK-O	CS	2	Type 41 White Polishing	71485142035	20 / 2 + 6	2.77	1.32	1.13	28	28	2.5
41-29-2PK-O	CS	2	Type 41 White Polishing		20 / 2 + 6	2.82	1.37	1.13	28	28	2.5
41-30-2PK-O	CS	2	Type 41 White Polishing		20 / 2 + 6	2.86	1.42	1.13	28	28	2.5
41-31-2PK-O	CS	2	Type 41 White Polishing		20 / 2 + 6	2.91	1.47	1.13	28	28	2.5
41-32-2PK-O	CS	2	Type 41 White Polishing		20 / 2 + 6	2.96	1.51	1.13	28	28	2.5
51-7.75-O	CS	10	Type 51 Red Buffing		4/22 + 4/9	1.28	0.63	0.69	14.5	14.5	5.75
51-9.25-O	CS	5	Type 51 Red Buffing		4/22 + 4/9	1.02	0.38	0.69	14.5	14.5	5.75
51-10-O	CS	5	Type 51 Red Buffing	71485144145	4/22 + 4/9	1.18	0.53	0.69	14.5	14.5	5.75
51-11-O	CS	5	Type 51 Red Buffing	71485144404	4/22 + 4/9	1.29	0.65	0.69	14.5	14.5	5.75
51-12-O	CS	5	Type 51 Red Buffing	71485143698	4/22 + 4/9	1.40	0.76	0.69	14.5	14.5	5.75
51-13-O	CS	5	Type 51 Red Buffing	71485142219	4/22 + 4/9	1.57	0.93	0.69	14.5	14.5	5.75
51-14-O	CS	5	Type 51 Red Buffing	71485143537	4/22 + 4/9	1.66	1.01	0.69	14.5	14.5	5.75
51-15-O	CS	5	Type 51 Red Buffing	71485142370	3/16 + 5/4	1.86	1.15	0.9	16.5	16.5	5.75
51-16-O	CS	5	Type 51 Red Buffing	71485142547	3/16 + 5/4	2.05	1.34	0.9	16.5	16.5	5.75
51-17-O	CS	5	Type 51 Red Buffing	71485141632	3/14 + 4/4	2.43	1.49	1.13	18.5	18.5	5.75
51-18-O	CS	5	Type 51 Red Buffing	71485142707	3/14 + 4/4	2.73	1.66	1.4	20.75	20.375	5.75
51-19-O	CS	5	Type 51 Red Buffing	71485142875	3/14 + 4/4	2.91	1.84	1.4	20.75	20.375	5.75
51-20-O	CS	5	Type 51 Red Buffing	71485141649	3/14 + 4/4	3.12	2.05	1.4	20.75	20.375	5.75
51-21-O	CS	5	Type 51 Red Buffing	71485143025	3/14 + 4/4	3.45	2.28	1.7	22.75	22.5	5.75
51-22-O	CS	5	Type 51 Red Buffing	71485143179	3/14 + 4/4	3.70	2.53	1.7	22.75	22.5	5.75
51-23-O	CS	5	Type 51 Red Buffing	71485143322	10/3	4.11	2.76	2.01	24.75	24.5	5.75
51-24-O	CS	5	Type 51 Red Buffing	71485141656	10/3	4.36	3.02	2.01	24.75	24.5	5.75
51-25-O	CS	5	Type 51 Red Buffing		10/3	4.49	3.15	2.01	24.75	24.5	5.75
51-26-2PK-O	CS	2	Type 51 Red Buffing		20 / 2 + 6	2.75	1.31	1.13	28	28	2.5
51-27-2PK-O	CS	2	Type 51 Red Buffing	71485141663	20 / 2 + 6	2.89	1.44	1.13	28	28	2.5
51-28-2PK-O	CS	2	Type 51 Red Buffing	71485142059	20 / 2 + 6	3.05	1.61	1.13	28	28	2.5
51-29-2PK-O	CS	2	Type 51 Red Buffing		20 / 2 + 6	3.11	1.66	1.13	28	28	2.5
51-30-2PK-O	CS	2	Type 51 Red Buffing		20 / 2 + 6	3.17	1.72	1.13	28	28	2.5
51-31-2PK-O	CS	2	Type 51 Red Buffing		20 / 2 + 6	3.22	1.78	1.13	28	28	2.5
51-32-2PK-O	CS	2	Type 51 Red Buffing		20 / 2 + 6	3.28	1.84	1.13	28	28	2.5
53-7.75-O	CS	10	Type 53 Blue Cleaner		4/22 + 4/9	1.30	0.65	0.69	14.5	14.5	5.75
53-9.25-O	CS	5	Type 53 Blue Cleaner		4/22 + 4/9	1.03	0.39	0.69	14.5	14.5	5.75
53-10-O	CS	5	Type 53 Blue Cleaner		4/22 + 4/9	1.19	0.55	0.69	14.5	14.5	5.75
53-11-O	CS	5	Type 53 Blue Cleaner		4/22 + 4/9	1.31	0.67	0.69	14.5	14.5	5.75
53-12-O	CS	5	Type 53 Blue Cleaner	71485143711	4/22 + 4/9	1.43	0.79	0.69	14.5	14.5	5.75

53-13-O	CS	5	Type 53 Blue Cleaner	71485142233	4/22 + 4/9	1.60	0.96	0.69	14.5	14.5	5.75
53-14-O	CS	5	Type 53 Blue Cleaner	71485143551	4/22 + 4/9	1.69	1.05	0.69	14.5	14.5	5.75
53-15-O	CS	5	Type 53 Blue Cleaner	71485142394	3/16 + 5/4	1.90	1.18	0.9	16.5	16.5	5.75
53-16-O	CS	5	Type 53 Blue Cleaner	71485142561	3/16 + 5/4	2.10	1.38	0.9	16.5	16.5	5.75
53-17-O	CS	5	Type 53 Blue Cleaner	71485141731	3/14 + 4/4	2.48	1.53	1.13	18.5	18.5	5.75
53-18-O	CS	5	Type 53 Blue Cleaner	71485142721	3/14 + 4/4	2.78	1.71	1.4	20.75	20.375	5.75
53-19-O	CS	5	Type 53 Blue Cleaner	71485142899	3/14 + 4/4	2.97	1.90	1.4	20.75	20.375	5.75
53-20-O	CS	5	Type 53 Blue Cleaner	71485141748	3/14 + 4/4	3.18	2.11	1.4	20.75	20.375	5.75
53-21-O	CS	5	Type 53 Blue Cleaner	71485143049	3/14 + 4/4	3.53	2.36	1.7	22.75	22.5	5.75
53-22-O	CS	5	Type 53 Blue Cleaner	71485143193	3/14 + 4/4	3.78	2.61	1.7	22.75	22.5	5.75
53-23-O	CS	5	Type 53 Blue Cleaner	71485143346	10/3	4.20	2.85	2.01	24.75	24.5	5.75
53-24-O	CS	5	Type 53 Blue Cleaner	71485141755	10/3	4.47	3.12	2.01	24.75	24.5	5.75
53-25-O	CS	5	Type 53 Blue Cleaner		10/3	4.60	3.25	2.01	24.75	24.5	5.75
53-26-2PK-O	CS	2	Type 53 Blue Cleaner		20 / 2 + 6	2.80	1.35	1.13	28	28	2.5
53-27-2PK-O	CS	2	Type 53 Blue Cleaner		20 / 2 + 6	2.94	1.49	1.13	28	28	2.5
53-28-2PK-O	CS	2	Type 53 Blue Cleaner	71485142073	20 / 2 + 6	3.10	1.66	1.13	28	28	2.5
53-29-2PK-O	CS	2	Type 53 Blue Cleaner		20 / 2 + 6	3.16	1.72	1.13	28	28	2.5
53-30-2PK-O	CS	2	Type 53 Blue Cleaner		20 / 2 + 6	3.22	1.78	1.13	28	28	2.5
53-31-2PK-O	CS	2	Type 53 Blue Cleaner		20 / 2 + 6	3.28	1.84	1.13	28	28	2.5
53-32-2PK-O	CS	2	Type 53 Blue Cleaner		20 / 2 + 6	3.34	1.90	1.13	28	28	2.5
55-7.75-O	CS	10	Type 55 Green Scrubber		4/22 + 4/9	1.61	0.97	0.69	14.5	14.5	5.75
55-9.25-O	CS	5	Type 55 Green Scrubber		4/22 + 4/9	1.22	0.58	0.69	14.5	14.5	5.75
55-10-O	CS	5	Type 55 Green Scrubber		4/22 + 4/9	1.46	0.82	0.69	14.5	14.5	5.75
55-11-O	CS	5	Type 55 Green Scrubber	71485145845	4/22 + 4/9	1.63	0.99	0.69	14.5	14.5	5.75
55-12-O	CS	5	Type 55 Green Scrubber	71485143728	4/22 + 4/9	1.81	1.16	0.69	14.5	14.5	5.75
55-13-O	CS	5	Type 55 Green Scrubber	71485142240	4/22 + 4/9	2.06	1.42	0.69	14.5	14.5	5.75
55-14-O	CS	5	Type 55 Green Scrubber	71485143568	4/22 + 4/9	2.19	1.55	0.69	14.5	14.5	5.75
55-15-O	CS	5	Type 55 Green Scrubber	71485142400	3/16 + 5/4	2.47	1.75	0.9	16.5	16.5	5.75
55-16-O	CS	5	Type 55 Green Scrubber	71485142578	3/16 + 5/4	2.76	2.04	0.9	16.5	16.5	5.75
55-17-O	CS	5	Type 55 Green Scrubber	71485141786	3/14 + 4/4	3.22	2.27	1.13	18.5	18.5	5.75
55-18-O	CS	5	Type 55 Green Scrubber	71485142738	3/14 + 4/4	3.60	2.53	1.4	20.75	20.375	5.75
55-19-O	CS	5	Type 55 Green Scrubber	71485142905	3/14 + 4/4	3.88	2.81	1.4	20.75	20.375	5.75
55-20-O	CS	5	Type 55 Green Scrubber	71485141793	3/14 + 4/4	4.20	3.13	1.4	20.75	20.375	5.75
55-21-O	CS	5	Type 55 Green Scrubber	71485143056	3/14 + 4/4	4.65	3.48	1.7	22.75	22.5	5.75
55-22-O	CS	5	Type 55 Green Scrubber	71485143209	3/14 + 4/4	5.03	3.86	1.7	22.75	22.5	5.75
55-23-O	CS	5	Type 55 Green Scrubber	71485143353	10/3	5.56	4.22	2.01	24.75	24.5	5.75
55-24-O	CS	5	Type 55 Green Scrubber	71485141809	10/3	5.96	4.61	2.01	24.75	24.5	5.75
55-25-O	CS	5	Type 55 Green Scrubber		10/3	6.15	4.81	2.01	24.75	24.5	5.75
55-26-2PK-O	CS	2	Type 55 Green Scrubber		20 / 2 + 6	3.44	2.00	1.13	28	28	2.5
55-27-2PK-O	CS	2	Type 55 Green Scrubber	71485141816	20 / 2 + 6	3.65	2.21	1.13	28	28	2.5
55-28-2PK-O	CS	2	Type 55 Green Scrubber	71485142080	20 / 2 + 6	3.90	2.45	1.13	28	28	2.5

55-29-2PK-O	CS	2	Type 55 Green Scrubber		20 / 2 + 6	3.99	2.54	1.13	28	28	2.5
55-30-2pk-O	CS	2	Type 55 Green Scrubber		20 / 2 + 6	4.07	2.63	1.13	28	28	2.5
55-31-2pk-O	CS	2	Type 55 Green Scrubber		20 / 2 + 6	4.16	2.72	1.13	28	28	2.5
55-32-2pk-O	CS	2	Type 55 Green Scrubber		20 / 2 + 6	4.25	2.80	1.13	28	28	2.5
71-7.75-O	CS	10	Type 71 Brown Strip		4/22 + 4/9	1.75	1.11	0.69	14.5	14.5	5.75
71-9.25-O	CS	5	Type 71 Brown Strip		4/22 + 4/9	1.30	0.66	0.69	14.5	14.5	5.75
71-10-O	CS	5	Type 71 Brown Strip	71485144138	4/22 + 4/9	1.58	0.93	0.69	14.5	14.5	5.75
71-11-O	CS	5	Type 71 Brown Strip		4/22 + 4/9	1.78	1.13	0.69	14.5	14.5	5.75
71-12-O	CS	5	Type 71 Brown Strip	71485143735	4/22 + 4/9	1.97	1.33	0.69	14.5	14.5	5.75
71-13-O	CS	5	Type 71 Brown Strip	71485142257	4/22 + 4/9	2.27	1.62	0.69	14.5	14.5	5.75
71-14-O	CS	5	Type 71 Brown Strip	71485143575	4/22 + 4/9	2.42	1.77	0.69	14.5	14.5	5.75
71-15-O	CS	5	Type 71 Brown Strip	71485142417	3/16 + 5/4	2.72	2.01	0.9	16.5	16.5	5.75
71-16-O	CS	5	Type 71 Brown Strip	71485142585	3/16 + 5/4	3.05	2.34	0.9	16.5	16.5	5.75
71-17-O	CS	5	Type 71 Brown Strip	71485141830	3/14 + 4/4	3.55	2.60	1.13	18.5	18.5	5.75
71-18-O	CS	5	Type 71 Brown Strip	71485142745	3/14 + 4/4	3.97	2.90	1.4	20.75	20.375	5.75
71-19-O	CS	5	Type 71 Brown Strip	71485142912	3/14 + 4/4	4.29	3.22	1.4	20.75	20.375	5.75
71-20-O	CS	5	Type 71 Brown Strip	71485141847	3/14 + 4/4	4.65	3.58	1.4	20.75	20.375	5.75
71-21-O	CS	5	Type 71 Brown Strip	71485143063	3/14 + 4/4	5.16	3.99	1.7	22.75	22.5	5.75
71-22-O	CS	5	Type 71 Brown Strip	71485143216	3/14 + 4/4	5.59	4.42	1.7	22.75	22.5	5.75
71-23-O	CS	5	Type 71 Brown Strip	71485143360	10/3	6.18	4.83	2.01	24.75	24.5	5.75
71-24-O	CS	5	Type 71 Brown Strip	71485141854	10/3	6.63	5.28	2.01	24.75	24.5	5.75
71-25-O	CS	5	Type 71 Brown Strip		10/3	6.85	5.50	2.01	24.75	24.5	5.75
71-26-2PK-O	CS	2	Type 71 Brown Strip		20 / 2 + 6	3.73	2.29	1.13	28	28	2.5
71-27-2PK-O	CS	2	Type 71 Brown Strip		20 / 2 + 6	3.97	2.53	1.13	28	28	2.5
71-28-2PK-O	CS	2	Type 71 Brown Strip		20 / 2 + 6	4.26	2.81	1.13	28	28	2.5
71-29-2PK-O	CS	2	Type 71 Brown Strip		20 / 2 + 6	4.36	2.91	1.13	28	28	2.5
71-30-2PK-O	CS	2	Type 71 Brown Strip		20 / 2 + 6	4.46	3.01	1.13	28	28	2.5
71-31-2PK-O	CS	2	Type 71 Brown Strip		20 / 2 + 6	4.56	3.11	1.13	28	28	2.5
71-32-2PK-O	CS	2	Type 71 Brown Strip		20 / 2 + 6	4.66	3.21	1.13	28	28	2.5
72-7.75-O	CS	10	Type 72 Black Strip		4/22 + 4/9	1.80	1.16	0.69	14.5	14.5	5.75
72-9.25-O	CS	5	Type 72 Black Strip		4/22 + 4/9	1.33	0.69	0.69	14.5	14.5	5.75
72-10-O	CS	5	Type 72 Black Strip	71485144091	4/22 + 4/9	1.62	0.98	0.69	14.5	14.5	5.75
72-11-O	CS	5	Type 72 Black Strip	71485145180	4/22 + 4/9	1.83	1.19	0.69	14.5	14.5	5.75
72-12-O	CS	5	Type 72 Black Strip	71485143742	4/22 + 4/9	2.04	1.39	0.69	14.5	14.5	5.75
72-13-O	CS	5	Type 72 Black Strip	71485142264	4/22 + 4/9	2.34	1.70	0.69	14.5	14.5	5.75
72-14-O	CS	5	Type 72 Black Strip		4/22 + 4/9	2.50	1.86	0.69	14.5	14.5	5.75
72-15-O	CS	5	Type 72 Black Strip		3/16 + 5/4	2.82	2.10	0.9	16.5	16.5	5.75
72-16-O	CS	5	Type 72 Black Strip		3/16 + 5/4	3.17	2.45	0.9	16.5	16.5	5.75
72-17-O	CS	5	Type 72 Black Strip	71485141885	3/14 + 4/4	3.67	2.72	1.13	18.5	18.5	5.75
72-18-O	CS	5	Type 72 Black Strip	71485142752	3/14 + 4/4	4.11	3.04	1.4	20.75	20.375	5.75

72-19-O	CS	5	Type 72 Black Strip	71485142929	3/14 + 4/4	4.44	3.37	1.4	20.75	20.375	5.75
72-20-O	CS	5	Type 72 Black Strip	71485141892	3/14 + 4/4	4.82	3.75	1.4	20.75	20.375	5.75
72-21-O	CS	5	Type 72 Black Strip	71485143070	3/14 + 4/4	5.35	4.18	1.7	22.75	22.5	5.75
72-22-O	CS	5	Type 72 Black Strip	71485143223	3/14 + 4/4	5.80	4.63	1.7	22.75	22.5	5.75
72-23-O	CS	5	Type 72 Black Strip	71485143377	10/3	6.41	5.06	2.01	24.75	24.5	5.75
72-24-O	CS	5	Type 72 Black Strip	71485141908	10/3	6.88	5.53	2.01	24.75	24.5	5.75
72-25-O	CS	5	Type 72 Black Strip		10/3	7.11	5.77	2.01	24.75	24.5	5.75
72-26-2PK-O	CS	2	Type 72 Black Strip		20 / 2 + 6	3.84	2.40	1.13	28	28	2.5
72-27-2PK-O	CS	2	Type 72 Black Strip	71485141915	20 / 2 + 6	4.09	2.65	1.13	28	28	2.5
72-28-2PK-O	CS	2	Type 72 Black Strip	71485141915	20 / 2 + 6	4.39	2.94	1.13	28	28	2.5
72-29-2PK-O	CS	2	Type 72 Black Strip		20 / 2 + 6	4.49	3.05	1.13	28	28	2.5
72-30-2PK-O	CS	2	Type 72 Black Strip		20 / 2 + 6	4.60	3.15	1.13	28	28	2.5
72-31-2PK-O	CS	2	Type 72 Black Strip		20 / 2 + 6	4.70	3.26	1.13	28	28	2.5
72-32-2PK-O	CS	2	Type 72 Black Strip		20 / 2 + 6	4.81	3.36	1.13	28	28	2.5
73-7.75-O	CS	10	Type 73 Emerald Hy-Pro		4/22 + 4/9	1.82	1.18	0.69	14.5	14.5	5.75
73-9.25-O	CS	5	Type 73 Emerald Hy-Pro		4/22 + 4/9	1.34	0.70	0.69	14.5	14.5	5.75
73-10-O	CS	5	Type 73 Emerald Hy-Pro	71485144916	4/22 + 4/9	1.64	0.99	0.69	14.5	14.5	5.75
73-11-O	CS	5	Type 73 Emerald Hy-Pro		4/22 + 4/9	1.85	1.20	0.69	14.5	14.5	5.75
73-12-O	CS	5	Type 73 Emerald Hy-Pro	71485142271	4/22 + 4/9	2.06	1.41	0.69	14.5	14.5	5.75
73-13-O	CS	5	Type 73 Emerald Hy-Pro	71485143599	4/22 + 4/9	2.37	1.73	0.69	14.5	14.5	5.75
73-14-O	CS	5	Type 73 Emerald Hy-Pro	71485142431	4/22 + 4/9	2.53	1.89	0.69	14.5	14.5	5.75
73-15-O	CS	5	Type 73 Emerald Hy-Pro	71485142608	3/16 + 5/4	2.85	2.13	0.9	16.5	16.5	5.75
73-16-O	CS	5	Type 73 Emerald Hy-Pro	71485141922	3/16 + 5/4	3.20	2.48	0.9	16.5	16.5	5.75
73-17-O	CS	5	Type 73 Emerald Hy-Pro	71485142769	3/14 + 4/4	3.71	2.76	1.13	18.5	18.5	5.75
73-18-O	CS	5	Type 73 Emerald Hy-Pro	71485142936	3/14 + 4/4	4.15	3.08	1.4	20.75	20.375	5.75
73-19-O	CS	5	Type 73 Emerald Hy-Pro	71485141939	3/14 + 4/4	4.49	3.42	1.4	20.75	20.375	5.75
73-20-O	CS	5	Type 73 Emerald Hy-Pro	71485143087	3/14 + 4/4	4.88	3.81	1.4	20.75	20.375	5.75
73-21-O	CS	5	Type 73 Emerald Hy-Pro	71485143230	3/14 + 4/4	5.41	4.24	1.7	22.75	22.5	5.75
73-22-O	CS	5	Type 73 Emerald Hy-Pro	71485143384	3/14 + 4/4	5.87	4.70	1.7	22.75	22.5	5.75
73-23-O	CS	5	Type 73 Emerald Hy-Pro	71485141946	10/3	6.48	5.13	2.01	24.75	24.5	5.75
73-24-O	CS	5	Type 73 Emerald Hy-Pro		10/3	6.96	5.62	2.01	24.75	24.5	5.75
73-25-O	CS	5	Type 73 Emerald Hy-Pro		10/3	7.20	5.85	2.01	24.75	24.5	5.75
73-26-2PK-O	CS	2	Type 73 Emerald Hy-Pro		20 / 2 + 6	3.88	2.43	1.13	28	28	2.5
73-27-2PK-O	CS	2	Type 73 Emerald Hy-Pro	71485141953	20 / 2 + 6	4.13	2.69	1.13	28	28	2.5
73-28-2PK-O	CS	2	Type 73 Emerald Hy-Pro	71485142110	20 / 2 + 6	4.43	2.99	1.13	28	28	2.5
73-29-2PK-O	CS	2	Type 73 Emerald Hy-Pro		20 / 2 + 6	4.54	3.09	1.13	28	28	2.5
73-30-2PK-O	CS	2	Type 73 Emerald Hy-Pro		20 / 2 + 6	4.65	3.20	1.13	28	28	2.5
73-31-2PK-O	CS	2	Type 73 Emerald Hy-Pro		20 / 2 + 6	4.75	3.31	1.13	28	28	2.5
73-32-2PK-O	CS	2	Type 73 Emerald Hy-Pro		20 / 2 + 6	4.86	3.41	1.13	28	28	2.5
47-7.75-O	CS	10	Type 47 Maroon Thin Line		4/22 + 4/9	1.12	0.48	0.69	14.5	14.5	5.75

47-9.25-O	CS	10	Type 47 Maroon Thin Line		4/22 + 4/9	0.93	0.28	0.69	14.5	14.5	5.75
47-10-O	CS	10	Type 47 Maroon Thin Line		4/22 + 4/9	1.05	0.40	0.69	14.5	14.5	5.75
47-11-O	CS	10	Type 47 Maroon Thin Line		4/22 + 4/9	1.13	0.49	0.69	14.5	14.5	5.75
47-12-O	CS	10	Type 47 Maroon Thin Line		4/22 + 4/9	1.22	0.57	0.69	14.5	14.5	5.75
47-15-O	CS	10	Type 47 Maroon Thin Line	71485142363	3/16 + 5/4	1.58	0.87	0.9	16.5	16.5	5.75
47-16-O	CS	10	Type 47 Maroon Thin Line	71485142530	3/16 + 5/4	1.73	1.01	0.9	16.5	16.5	5.75
47-17-O	CS	10	Type 47 Maroon Thin Line		3/14 + 4/4	2.07	1.12	1.13	18.5	18.5	5.75
47-18-O	CS	10	Type 47 Maroon Thin Line		3/14 + 4/4	2.32	1.25	1.4	20.75	20.375	5.75
47-20-O	CS	10	Type 47 Maroon Thin Line	71485144657	3/14 + 4/4	2.62	1.55	1.4	20.75	20.375	5.75
43-7.75-O	CS	10	Type 43 Blush Burnishing		4/22 + 4/9	1.23	0.59	0.69	14.5	14.5	5.75
43-9.25-O	CS	5	Type 43 Blush Burnishing		4/22 + 4/9	1.00	0.35	0.69	14.5	14.5	5.75
43-10-O	CS	5	Type 43 Blush Burnishing		4/22 + 4/9	1.14	0.50	0.69	14.5	14.5	5.75
43-11-O	CS	5	Type 43 Blush Burnishing		4/22 + 4/9	1.25	0.60	0.69	14.5	14.5	5.75
43-12-O	CS	5	Type 43 Blush Burnishing	71485138106	4/22 + 4/9	1.35	0.71	0.69	14.5	14.5	5.75
43-13-O	CS	5	Type 43 Blush Burnishing	71485137505	4/22 + 4/9	1.51	0.87	0.69	14.5	14.5	5.75
43-14-O	CS	5	Type 43 Blush Burnishing	71485140468	4/22 + 4/9	1.59	0.95	0.69	14.5	14.5	5.75
43-15-O	CS	5	Type 43 Blush Burnishing	71485143872	3/16 + 5/4	1.79	1.07	0.9	16.5	16.5	5.75
43-16-O	CS	5	Type 43 Blush Burnishing	71485139400	3/16 + 5/4	1.96	1.25	0.9	16.5	16.5	5.75
43-17-O	CS	5	Type 43 Blush Burnishing	71485137468	3/14 + 4/4	2.34	1.39	1.13	18.5	18.5	5.75
43-18-O	CS	5	Type 43 Blush Burnishing	71485139417	3/14 + 4/4	2.62	1.55	1.4	20.75	20.375	5.75
43-19-O	CS	5	Type 43 Blush Burnishing	71485139424	3/14 + 4/4	2.79	1.72	1.4	20.75	20.375	5.75
43-20-O	CS	5	Type 43 Blush Burnishing	71485137291	3/14 + 4/4	2.98	1.91	1.4	20.75	20.375	5.75
43-21-O	CS	5	Type 43 Blush Burnishing		3/14 + 4/4	3.30	2.13	1.7	22.75	22.5	5.75
43-22-O	CS	5	Type 43 Blush Burnishing		3/14 + 4/4	3.53	2.36	1.7	22.75	22.5	5.75
43-23-O	CS	5	Type 43 Blush Burnishing		10/3	3.92	2.58	2.01	24.75	24.5	5.75
43-24-O	CS	5	Type 43 Blush Burnishing		10/3	4.16	2.82	2.01	24.75	24.5	5.75
43-25-O	CS	5	Type 43 Blush Burnishing		10/3	4.28	2.94	2.01	24.75	24.5	5.75
43-26-2pk-O	CS	2	Type 43 Blush Burnishing		20 / 2 + 6	2.67	1.22	1.13	28	28	2.5
43-27-2pk-O	CS	2	Type 43 Blush Burnishing	71485138748	20 / 2 + 6	2.79	1.35	1.13	28	28	2.5
43-28-2pk-O	CS	2	Type 43 Blush Burnishing		20 / 2 + 6	2.94	1.50	1.13	28	28	2.5
43-29-2pk-O	CS	2	Type 43 Blush Burnishing		20 / 2 + 6	3.00	1.55	1.13	28	28	2.5
43-30-2pk-O	CS	2	Type 43 Blush Burnishing		20 / 2 + 6	3.05	1.61	1.13	28	28	2.5
43-31-2pk-O	CS	2	Type 43 Blush Burnishing		20 / 2 + 6	3.10	1.66	1.13	28	28	2.5
43-32-2pk-O	CS	2	Type 43 Blush Burnishing		20 / 2 + 6	3.16	1.71	1.13	28	28	2.5
Hi revised 1/27/2014 actually changed back on 10/23/2013											